

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
8 January 2004 (08.01.2004)

PCT

(10) International Publication Number
WO 2004/003013 A1

- (51) International Patent Classification⁷: **C07K 14/415** (74) Common Representative: **NOVARTIS FORSCHUNGSSTIFTUNG, ZWEIGNIEDERLASSUNG FRIEDRICH MIESCHER INSTITUTE FOR BIOMEDICAL RESEARCH**; Maulbeerstrasse 66, CH-4058 Basel (CH).
- (21) International Application Number: **PCT/EP2003/006757**
- (22) International Filing Date: **26 June 2003 (26.06.2003)** (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data: **0214896.3** **27 June 2002 (27.06.2002)** **GB** (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): **NOVARTIS FORSCHUNGSSTIFTUNG, ZWEIGNIEDERLASSUNG FRIEDRICH MIESCHER INSTITUTE FOR BIOMEDICAL RESEARCH [CH/CH]**; Maulbeerstrasse 66, CH-4058 Basel (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **FRITSCH, Olivier [FR/FR]**; 9, Rue des Artisans, F-68000 Colmar (FR). **HOHN, Barbara [AT/CH]**; Hangstrasse 35, CH-4144 Arlesheim (CH). **LUCHT, Jan, Martin [DE/CH]**; Unterer Batterieweg 113, CH-4059 Basel (CH).
- Published:
— *with international search report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: **GENE FOR INCREASED SOMATIC RECOMBINATION**

(57) Abstract: The present invention relates to nucleic acids encoding polypeptides involved in homologous recombination, as well as vectors and host cells comprising the nucleic acids and polypeptides encoded by the nucleic acids. Also provided are methods for inducing somatic and/or meiotic homologous recombination in a cell, comprising modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1 (At5g22330), Rvb21 (At5g67630), Rvb22 (At3g49830), At3g57290, AtArp5.1 (At3g12380), AtArp5.2 (At5g56180), AtArp5.3 (At3g60830) and AtArp8 (At5g43500), their homologues, fragments or derivatives. In particular, the methods can be used to increase gene targeting.

WO 2004/003013 A1

Gene for increased somatic recombination**TECHNICAL FIELD**

The present invention relates to DNA that encodes proteins that control somatic recombination, in particular in plants.

BACKGROUND

Cells of all organisms have evolved a series of DNA repair pathways that counteract the deleterious effects of DNA damage and are triggered by intricate signal cascades. Homologous recombination in plants stabilizes the genome by repairing damaged chromosomes simultaneously generating genetic variability through the creation of new genes and new genetic linkages. Repair of DNA damage by recombination is particularly significant for cells under exogenous and endogenous genotoxic stress because of its potential to remove a wide range of DNA lesions. The current understanding of genetic and molecular components underlying meiotic and somatic recombination and DNA repair in plants is limited. To be able to modify or improve DNA repair using gene technology it is necessary to identify key proteins involved in said pathways or cascades.

The precise manipulation of the genome of higher plants is still a major challenge for plant genetic engineering. Some advances have been made recently for the creation of point mutations at predetermined positions by chimeric RNA/DNA oligonucleotides (Beetham et al. 1999, Hohn & Puchta 1999, Zhu et al. 1999, Kipp et al. 2000, Zhu et al. 2000). However, the targeted insertion of longer stretches of DNA sequence at any desired location ("knock-in") or the replacement of predetermined plant genomic sequences by heterologous DNA ("knock-out) via homologous recombination is at present not possible as a routine technique (Mengiste & Paszkowski 1999, Puchta 2002).

Few reports have appeared in the literature that describe successful "gene targeting" in higher plants (Paszkowski et al. 1988, Lee et al. 1990, Offringa et al. 1990, Miao & Lam 1995, Kempin et al. 1997, Hanin et al. 2001), but the reported absolute numbers and relative

frequencies of the desired events were very low. Indeed, the main problem for "gene targeting" experiments is the low frequency of the desired homologous recombination events - 10^{-3} to 10^{-5} (Hohn & Puchta 1999, Mengiste & Paszkowski 1999) - relative to illegitimate recombination/integration events.

Various attempts of increasing the low relative frequency of targeted homologous recombination events, by improved selection schemes ("positive-negative selection") or by providing extended regions of sequence homology, were not successful (Thykjaer et al. 1997, Gallego et al. 1999). One promising strategy to facilitate gene targeting in higher plants would be to shift the balance between illegitimate and homologous recombination events towards the latter, by facilitating homologous recombination events in plants by genetic manipulation (Gherbi et al. 2001).

One approach described in the literature is the expression in plants of heterologous proteins known to be involved in homologous recombination. Overproduction of the bacterial resolvase RuvC was shown to increase somatic inter-and intra-chromosomal recombination, as well as extrachromosomal recombination (Shalev et al. 1999), but no gene targeting studies were reported yet with this system. Expression of the bacterial RecA protein had similar effects (Reiss et al. 1996, Reiss et al. 1997), but subsequent experiments did not show an increase of gene targeting events (Reiss et al. 2000). So far, it is not clear whether heterologous proteins can successfully interact with the plant recombination machinery to affect the outcome of the recombination events required for gene targeting. In addition, these foreign proteins might have undesired side effects in plants.

An alternative approach is to rely on endogenous plant genes to influence the frequency of homologous recombination events. So far, indirect approaches have been reported to isolate plant genes involved in recombination. The cloning of plant orthologs to recombination and repair genes from other species was reported (Klimyuk & Jones 1997, Doutriaux et al. 1998, Hartung & Puchta 1999, Gallego et al. 2000, Lin et al. 2000), but so far the importance of these genes for recombination in plants has only been evaluated for the RAD50 homologue (Gherbi et al., 2001). Functional screens have been carried out to identify plant mutants hypersensitive to genotoxic treatments (Davies et al. 1994, Jenkins et al. 1995, Jiang et al. 1997, Masson et al. 1997, Albinsky et al. 1999, Mengiste et al. 1999). Since recombination is an important mechanism for DNA repair, some of these mutants might be affected in their

recombination behavior. This was experimentally demonstrated for some X-ray hypersensitive *Arabidopsis* mutants that also showed reduced levels of somatic recombination (Masson & Paszkowski 1997), although the affected gene has not been isolated. Recently, a DNA damage hypersensitive *Arabidopsis* mutant was isolated from a T-DNA tagged population, the affected gene (MIM) was cloned and shown to encode an SMC (Structural Maintenance of Chromatin) protein. Since the *mim* mutant showed decreased frequencies of somatic recombination, MIM seems be involved in some aspect of somatic recombination (Mengiste et al. 1999). Also in tobacco a hyperrecombinogenic mutant was isolated (Gorbunova et al. 2000). However, the gene affected could not be isolated so far.

Previously, a genetic system was described to study somatic homologous recombination between repeated sequences in whole plants (Swoboda et al. 1994, Puchta et al. 1995a, Puchta et al. 1995b). Briefly, a transgene carrying two non-functional halves of the β -glucuronidase reporter gene sharing a stretch of sequence identity serves as a reporter construct. Homologous recombination between the repeated sequences results in the restoration of a functional reporter gene. Such events were detected by a sensitive histochemical assay, and confirmed by Southern blotting. This assay is destructive, since the staining procedure is lethal, so that direct isolation of mutants is difficult.

There is a need in the art to identify genes that increase somatic recombination and this invention meets that need.

RELATED LITERATURE

- 1) Aguilera, A. & Klein, H.L. Genetic control of intrachromosomal recombination in *Saccharomyces cerevisiae*. I. Isolation and genetic characterization of hyper-recombination mutations. *Genetics* 119: 779-790, 1985.
- 2) Albinsky, D. et al. Plant responses to genotoxic stress are linked to an ABA/salinity signaling pathway. *Plant J* 17:73-82, 1999.
- 3) Aravind, L. et al. Conserved domains in DNA repair proteins and evolution of repair systems. *Nucl Acids Res* 27:1223-1242, 1999.
- 4) Beetham, P.R. et al. A tool for functional plant genomics: chimeric RNA/DNA oligonucleotides cause in vivo gene-specific mutations. *Proc Natl Acad Sci USA* 96: 8774-8778, 1999.

- 5) Cho, S.-G. et al. TIP49b, a regulator of activating transcription factor 2 response to stress and DNA damage. *Mol Cell Biol* 21:8398-8413, 2001.
- 6) Clough, S.J. & Bent, A.F. Floral dip: a simplified method for *Agrobacterium*-mediated transformation of *Arabidopsis thaliana*. *Plant J* 16:735-743, 1998.
- 7) Davies, C. et al. Isolation of *Arabidopsis thaliana* mutants hypersensitive to gamma radiation. *Mol Gen Genet* 243:660-665, 1994.
- 8) Davis, J.L. et al. A presumptive helicase (MOT1 gene product) affects gene expression and is required for viability in the yeast *Saccharomyces cerevisiae*. *Mol Cell Biol* 12:1879-1892, 1992.
- 9) Dilkes, B.P. & Feldmann, K.A. Cloning genes from T-DNA tagged mutants. *Methods Mol Biol* 82:339-351, 1998.
- 10) Doutriaux, M.-P. et al. Isolation and characterisation of the RAD51 and DMC1 homologs from *Arabidopsis thaliana*. *Mol Gen Genet* 257:283-291, 1998.
- 11) Ebbert, R. et al. The product of the SNF2/SWI2 paralogue INO80 of *Saccharomyces cerevisiae* required for efficient expression of various yeast structural genes is part of a high-molecular-weight protein complex. *Mol Microbiol* 32:741-751, 1999.
- 12) Emery, H.S. et al. Sequence of RAD54, a *Saccharomyces cerevisiae* gene involved in recombination and repair. *Gene* 104:103-106, 1991.
- 13) Essers, J. et al. Homologous and non-homologous recombination differentially affect DNA damage repair in mice. *EMBO J* 19:1703-1710, 2000.
- 14) Fang, R.X. et al. Multiple cis regulatory elements for maximal expression of the cauliflower mosaic virus 35S promoter in transgenic plants. *Plant Cell* 1:141-150, 1989.
- 15) Fridborg, I. et al. The *Arabidopsis* dwarf mutant shi exhibits reduced gibberellin responses conferred by overexpression of a new putative zinc finger protein. *Plant Cell* 11:1019-1032, 1999.
- 16) Gallego, F. et al. AtRAD1, a plant homologue of human and yeast nucleotide excision repair endonucleases, is involved in dark repair of UV damages and recombination. *Plant J* 21:507-518, 2000.
- 17) Gallego, M.E. et al. Positive-negative selection and T-DNA stability in *Arabidopsis* transformation. *Plant Mol Biol* 39:83-93, 1999.
- 18) Galli, A. et al. Characterization of the hyperrecombination phenotype of the *pol3-t* mutation of *Saccharomyces cerevisiae*. *Genetics* 164: 65-79, 2003.
- 19) Gamborg, O.L. et al. Nutrient requirement of suspension cultures of soybean root cells. *Exp Cell Res* 50:151-158, 1968.

- 20) Gherbi, H. et al. Homologous recombination in planta is stimulated in the absence of Rad50. *EMBO Rep* 2:287-291, 2001.
- 21) Gorbalenya, A.E. & Koonin, E.V. Helicases: amino acid sequence comparisons and structure-function relationships. *Curr Opin Struct Biol* 3:419-429, 1993.
- 22) Gorbunova, V. et al. A new hyperrecombinogenic mutant of *Nicotiana tabacum*. *Plant J* 24:601-611, 2000.
- 23) Guerineau, F. et al. Sulfonamide resistance gene for plant transformation. *Plant Mol Biol* 15:127-136, 1990.
- 24) Hanin, M. et al. Gene targeting in *Arabidopsis*. *Plant J* 28:671-677, 2001.
- 25) Hartung, F. & Puchta, H. Isolation of the complete cDNA of the Mre11 homologue of *Arabidopsis* (Accession No. AJ243822) indicates conservation of DNA recombination mechanisms between plants and other eucaryotes. (PGR99-132). *Plant Physiol* 121: 312, 1999.
- 26) Hayashi, H. et al. Activation of a plant gene by T-DNA tagging: auxin-independent growth *in vitro* [retracted by Schell J. *Science* 284:1275, 1999]. *Science* 258:1350-1353, 1992.
- 27) Hohn, B. & Puchta, H. Gene therapy in plants. *Proc Natl Acad Sci USA* 96:8321-8323, 1999.
- 28) Ikura, T. et al. Involvement of the TIP60 histone acetylase complex in DNA repair and apoptosis. *Cell* 102:463-473, 2000.
- 29) Jenkins, M.E. et al. Radiation-sensitive mutants of *Arabidopsis thaliana*. *Genetics* 140: 725-732, 1995.
- 30) Jelesko J.G. et al. Rare germinal unequal crossing-over leading to recombinant gene formation and gene duplication in *Arabidopsis thaliana*. *Proc Natl Acad Sci USA* 96:10302-10307, 1999.
- 31) Jiang, C.-Z. et al. UV- and gamma-radiation sensitive mutants of *Arabidopsis thaliana*. *Genetics* 147:1401-1409, 1997.
- 32) Jonsson, Z.O. et al. Rvb1p and Rvb2p are essential components of a chromatin remodeling complex that regulates transcription of over 5% of yeast genes. *J Biol Chem* 276:16279-16288, 2001.
- 33) Kakimoto, T. CKI1, a histidine kinase homolog implicated in cytokinin signal transduction. *Science* 274:9825, 1996.
- 34) Kanemaki, M. et al. TIP49b, a new RuvB-like DNA helicase, is induced in a complex together with another RuvB-like DNA helicase, TIP49a. *J Biol Chem* 274:22437-22444,

1999.

- 35) Kardailsky, I. et al. Activation tagging of the floral inducer FT. *Science* 286:1962-1965, 1999.
- 36) Kempin, S.A. et al. Targeted disruption in Arabidopsis. *Nature* 389:802-803, 1997.
- 37) Kipp, P.B. et al. Gene targeting in plants via site-directed mutagenesis. *Methods Mol Biol* 133:213-221, 2000.
- 38) Klimyuk, V.I. & Jones, J.D. AtDMC1, the Arabidopsis homologue of the yeast DMC1 gene: *characterization, transposon-induced allelic variation and meiosis-associated expression*. *Plant J* 11:1-14, 1997.
- 39) Laurent, B.C. et al. Functional interdependence of the yeast SNF2, SNF5, and SNF6 proteins in transcriptional activation. *Proc Natl Acad Sci USA* 88:2687-2691, 1991.
- 40) Lee, K.Y. et al. Homologous recombination in plant cells after Agrobacterium-mediated transformation. *Plant Cell* 2:415-425, 1990.
- 41) Liu, Z. et al. Repair of UV damage in plants by nucleotide excision repair: Arabidopsis UVH1 DNA repair gene is a homolog of *Saccharomyces cerevisiae* Rad1. *Plant J* 21:519-528, 2000.
- 42) Masson, J.E. et al. *Mutants of Arabidopsis thaliana hypersensitive to DNA-damaging treatments*. *Genetics* 146:401-407, 1997.
- 43) Masson, J.E. & Paszkowski, J. Arabidopsis thaliana mutants altered in homologous recombination. *Proc Natl Acad Sci USA* 94:11731-11735, 1997.
- 44) Mathur, J. et al. Gene identification with sequenced T-DNA tags generated by transformation of Arabidopsis cell suspension. *Plant J* 13:707-716, 1998.
- 45) Mayerhofer, R. et al. T-DNA integration: a mode of illegitimate recombination in plants. *EMBO J* 10:697-704, 1991.
- 46) Mengiste, T. & Paszkowski, J. Prospects for the precise engineering of plant genomes by *homologous recombination*. *Biol Chem* 380:749-758, 1999.
- 47) Mengiste, T. et al. An SMC-like protein is required for efficient homologous recombination in Arabidopsis. *EMBO J* 18:4505-4512, 1999.
- 48) Miao, Z.H. & Lam, E. Targeted disruption of the TGA3 locus in Arabidopsis thaliana. *Plant J* 7:359-365, 1995.
- 49) Michelet, B. & Chua, N.-H. Improvement of Arabidopsis mutant screens based on luciferase imaging in planta. *Plant Mol Biol Rep* 14:320-329, 1996.
- 50) Millar, A.J. Circadian clock mutants in Arabidopsis identified by luciferase imaging. *Science* 267:1161-1163, 1995a.

- 51) Millar, A.J. et al. Firefly luciferase as a reporter of regulated gene expression in higher plants. *Plant Mol Biol Rep* 10:324-327, 1992.
- 52) Millar, A.J. et al. The regulation of circadian period by phototransduction pathways in *Arabidopsis*. *Science* 267:1163-1166, 1995b.
- 53) Muchardt, C. & Yaniv, M. ATP-dependent chromatin remodelling: SWI/SNF and Co. are on the job. *J Mol Biol* 293:187-98, 1999.
- 54) Muris, D.F. et al. Isolation of the *Schizosaccharomyces pombe* RAD54 homologue, *rhp54+*, a gene involved in the repair of radiation damage and replication fidelity. *J Cell Sci* 109:73-81, 1996.
- 55) Nacry, P. et al. Major chromosomal rearrangements induced by T-DNA transformation in *Arabidopsis*. *Genetics* 149:641-650, 1998.
- 56) Offringa, R. et al. Extrachromosomal homologous recombination and gene targeting in plant cells after *Agrobacterium* mediated transformation. *EMBO J* 9:3077-3084, 1990.
- 57) Paszkowski, J. et al. Gene targeting in plants. *EMBO J* 7:4021-4026, 1988.
- 58) Pruitt, R.E. & Meyerowitz, E.M. Characterization of the genome of *Arabidopsis thaliana*. *J Mol Biol* 187:169-183, 1986.
- 59) Puchta, H. et al. Somatic intrachromosomal homologous recombination events in populations of plant siblings. *Plant Mol Biol* 28:281-292, 1995a.
- 60) Puchta, H. et al. Induction of intrachromosomal homologous recombination in whole plants. *Plant J* 7:203-210, 1995b.
- 61) Puchta, H. Gene replacement by homologous recombination in plants. *Plant Mol Biol* 48:173-182, 2002.
- 62) Reiss, B. et al. RecA protein stimulates homologous recombination in plants. *Proc Natl Acad Sci USA* 93:3094-3098, 1996.
- 63) Reiss, B. et al. Targeting of a functional *Escherichia coli* RecA protein to the nucleus of plant cells. *Mol Gen Genet* 253:695-702, 1997.
- 64) Reiss, B. et al. RecA stimulates sister chromatid exchange and the fidelity of double-strand break repair, but not gene targeting, in plants transformed by *agrobacterium*. *Proc Natl Acad Sci USA* 97:3358-3363, 2000.
- 65) Richmond, E. & Peterson, C.L. Functional analysis of the DNA-stimulated ATPase domain of yeast SWI2/SNF2. *Nucl Acids Res* 24:3685-92, 1996.
- 66) Schaffer, R. et al. The late elongated hypocotyl mutation of *Arabidopsis* disrupts circadian rhythms and the photoperiodic control of flowering. *Cell* 93:1219-29, 1998.
- 67) Shalev, G. et al. Stimulation of homologous recombination in plants by expression of

the bacterial resolvase *ruvC*. *Proc Natl Acad Sci USA* 96:7398-7402, 1999.

- 68) Shen, X. et al. A chromatin remodeling complex involved in transcription and DNA processing. *Nature* 406:541-544, 2000.
- 69) Shen, X. et al. Modulation of ATP-dependent chromatin-remodeling complexes by inositol polyphosphates. *Science* 299: 112-114, (2003)
- 70) Simon, M. et al. The 3' to 5' exonuclease activity located in the DNA polymerase δ subunit of *Saccharomyces cerevisiae* is required for accurate replication. *EMBO J* 10: 2165-2170, 1991.
- 71) Sitney, K.C. et al. DNA polymerase III, a second essential DNA polymerase, is encoded by the *S. cerevisiae* CDC2 gene. *Cell* 56:599-605, 1989.
- 72) Steger, D.J. et al. Regulation of chromatin remodeling by inositol polyphosphates. *Science* 299: 114-116, 2003.
- 73) Sugino, A. Yeast DNA polymerases and their role at the replication fork. *TIBS* 20:319-323, 1995.
- 74) Swoboda, P. et al. Intrachromosomal homologous recombination in whole plants. *EMBO J* 13:484-489, 1994.
- 75) Thykjaer, T. et al. *Gene targeting approaches using positive-negative selection and large flanking regions*. *Plant Mol Biol* 35:523-530, 1997.
- 76) Torres-Ramos, C.A. et al. Requirement of Yeast DNA polymerase δ in post-replicative repair of UV-damaged DNA. *J Biol Chem* 272:25445-25448, 1997.
- 77) Travers, A. An engine for nucleosome remodeling. *Cell* 96:311-314, 1999.
- 78) Troelstra, C. et al. ERCC6, a member of a subfamily of putative helicases, is involved in Cockayne's syndrome and preferential repair of active genes. *Cell* 71:939-53, 1992.
- 79) van Gool, A.J. et al. RAD26, the functional *S. cerevisiae* homolog of the Cockayne syndrome B gene ERCC6. *EMBO J* 13:5361-5369, 1994.
- 80) Walden, R. et al. *Activation tagging: a means of isolating genes implicated as playing a role in plant growth and development*. *Plant Mol Biol* 26:1521-1528, 1994.
- 81) Weigel, D. et al. Activation tagging in *Arabidopsis*. *Plant Physiol* 122:1003-1013, 2000.
- 82) Wilson, K. et al. A Dissociation insertion causes a semidominant mutation that increases expression of TINY, an *Arabidopsis* gene related to APETALA2. *Plant Cell* 8: 659-671, 1996.
- 83) Wood, M. et al. An ATPase/helicase complex is an essential cofactor for oncogenic transformation by c-Myc. *Mol Cell* 5:321-330, 2000.
- 84) Zhu, T. et al. Targeted manipulation of maize genes in vivo using chimeric RNA/DNA

oligonucleotides. Proc Natl Acad Sci USA 96:8768-8773, 1999.

- 85) Zhu, T. et al. Engineering herbicide-resistant maize using chimeric RNA/DNA oligonucleotides. Nat Biotechnol 18:555-558,2000.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 depicts an alignment of an AtIno80 sequence (SEQ ID NO:1) and public sequence, At3g57300 (SEQ ID NO:3), showing a splicing difference ("Query" refers to AtIno80 sequence; "Sbjct" to public database sequence, gi|18410689|ref|NM_115590.1| (AGI:At3g57300)

SUMMARY OF THE INVENTION

The present invention provides an isolated nucleic acid, in particular DNA, comprising a sequence having 98.5% or more identity with the sequence depicted in SEQ ID NO: 1 (AtIno80). Also provided are vectors and host cells comprising the nucleic acids of the invention, as well as polypeptides encoded by the nucleic acids.

In a further aspect of the invention, a method for inducing homologous recombination in a cell is provided, comprising modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80 (SEQ ID NOs:1 and 2), At3g57300 (SEQ ID NO:3), Rvb1 (At5g22330; SEQ ID Nos: 4 and 5), Rvb21 (At5g67630; SEQ ID NOs: 6 and 7), Rvb22 (At3g49830; SEQ ID NOs: 8 and 9), At3g57290 (SEQ ID NO: 10), AtArp5.1 (At3g12380; SEQ ID NOs: 11 and 12), AtArp5.2 (At5g56180; SEQ ID NOs: 13 and 14), AtArp5.3 (At3g60830; SEQ ID Ns: 15 and 16) and AtArp8 (At5g43500; SEQ ID Nos: 17 and 18), their homologues, fragments or derivatives. In one embodiment, modulation is achieved by increasing expression of the gene product, such as by introducing a nucleic acid encoding the gene product into the cell operably linked to a promoter; and allowing transcription and translation of the gene in an amount sufficient to affect homologous recombination in said cell.

The method can be used to increase somatic homologous recombination and/or meiotic homologous recombination. The promoter can be an inducible promoter, a tissue-specific promoter, a constitutive promoter or a meiosis-specific promoter, depending on the desired effect.

Also provided is a method of increasing gene targeting to a desired locus in a host cell comprising introducing a desired gene into a host cell, modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1, Rvb21, Rvb22, At3g57290, AtArp5.1, AtArp5.2, AtArp5.3 and AtArp8, or functional fragments, derivatives and homologues thereof in the host cell, and detecting integration of the desired gene at a selected locus in the genome of the host cell.

DETAILED DESCRIPTION OF THE INVENTION

The present inventors have used a direct screening approach to identify mutants of *Arabidopsis thaliana* showing increased frequencies of somatic recombination, by visualizing recombination events in living plants from a mutagenized population and directly isolating plants with the desired phenotype. The description below describes a genetic screen and an *Arabidopsis* mutant *sm22* derived from it, and the associated plant genes responsible for the altered recombination phenotype.

Existing technologies for gene targeting in plants are very inefficient. The modulation of the expression or properties of one or more gene products selected from the group consisting of AtIno80 (SEQ ID NOs:1 and 2), At3g57300 (SEQ ID NO:3), Rvb1 (At5g22330; SEQ ID Nos: 4 and 5), Rvb2(1 and 2; also referred to herein as Rvb21, At5g67630; SEQ ID NOs: 6 and 7 and Rvb22, At3g49830; SEQ ID NOs: 8 and 9, respectively), At3g57290 (SEQ ID NO: 10), AtArp5.1 (At3g12380; SEQ ID NOs: 11 and 12), AtArp5.2 (At5g56180; SEQ ID NOs: 13 and 14), AtArp5.3 (At3g60830; SEQ ID Ns: 15 and 16) and AtArp8 (At5g43500; SEQ ID Nos: 17 and 18), their homologues (including orthologs), fragments or derivatives increases the efficiency of gene targeting events and facilitates the routine manipulation of the genome of higher plants by homologous recombination. For the purposes of this disclosure, to avoid repetition, reference to the above group of gene products is meant to include reference to each gene individually, i.e., the modulation of the expression or properties of AtIno80, the modulation of the expression or properties of At3g57300, and so on.

An *in vivo* screen for *Arabidopsis* mutants has been devised to allow direct detection of mutants with altered recombination. As a result of the screen, mutant plants with a more than 10-fold increased or altered frequency of somatic recombination events are provided, as well as the plant gene AtIno80. One or more of AtIno80, At3g57300, Rvb1, Rvb21,

Rvb22, At3g57290, AtArp5.1, AtArp5.2, AtArp5.3 and AtArp8 or orthologs from other plant species are affected in these mutant plants. The screen allows the identification of mutant plants, and plant genes with a strong effect on recombination having little or no undesired side effects on the plant. An increase in homologous recombination frequency is useful to achieve an increased efficiency of gene targeting in plants.

Within the context of the present invention reference to a gene is to be understood as reference to a DNA coding sequence associated with regulatory sequences, which allow transcription of the coding sequence into RNA such as mRNA, rRNA, tRNA, snRNA, sense RNA or antisense RNA. Examples of regulatory sequences are promoter sequences, 5' and 3' untranslated sequences, introns, and termination sequences.

A promoter is understood to be a DNA sequence initiating transcription of an associated DNA sequence, and may also include elements that act as regulators of gene expression such as activators, enhancers, or repressors.

Expression of a gene refers to its transcription into RNA or its transcription and subsequent translation into protein within a living cell. In the case of antisense constructs expression refers to the transcription of the antisense DNA only.

The term transformation of cells designates the introduction of nucleic acid into a host cell, particularly the stable integration of a DNA molecule into the genome of said cell.

Any part or piece of a specific nucleotide or amino acid sequence is referred to as a component sequence or fragment.

In one aspect of the invention, nucleic acids and polypeptides are provided that can modulate homologous recombination. A nucleic acid according to the present invention comprises a sequence having 98.5%, 99%, 99.5% or more identity with the sequences depicted in SEQ ID NO:1. The nucleic acid can be DNA or RNA, such as, mRNA, rRNA, tRNA, snRNA, sense RNA or antisense RNA. Also provided is a vector comprising the nucleic acid of the invention, as well as host cells comprising the vector or nucleic acid of the invention. Suitable vectors and host cells are described in more detail below. Also provided are polypeptides encoded by the nucleic acids of the invention.

In a further aspect of the invention, methods for increasing homologous recombination are provided by modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1, Rvb21, Rvb22, At3g57290, AtArp5.1, AtArp5.2, AtArp5.3 and AtArp8. In order to increase homologous recombination several methods are useful depending on the gene and the gene targeting technique employed. Typically, modulation will mean increasing the activity of the gene product, which can easily be achieved by methods known in the art.

In one embodiment, the desired gene is overexpressed in a host cell in an amount sufficient to increase homologous recombination in the host cell. By "overexpression", it is meant increasing the amount of desired gene product in a host cell, compared to untreated cells. A simple way to achieve overexpression is to produce transgenic host cells, in particular transgenic plants, carrying a construct (vector) that ectopically overexpresses the sequence of interest under the control of a suitable promoter, such as the 35S CaMV, MAS (mannopine synthase) or ubiquitin promoter.

In another embodiment, an inducible promoter is used to allow an increase in homologous recombination frequency at the time and place needed, for example, for gene targeting.

Alternatively, the construct increasing recombination can be provided at the same time as the targeting construct by co-transformation, the effect is then achieved by the transient expression of the construct containing the said genes.

Functional fragments, homologues (including orthologs) or derivatives can be easily identified by alignment with the sequences referred to above. In general two approaches exist to *sequence alignment*. Algorithms as proposed by Needleman & Wunsch and by Sellers align the entire length of two sequences providing a global alignment of the sequences. The Smith-Waterman algorithm on the other hand yields local alignments. A local alignment aligns the pair of regions within the sequences that are most similar given the choice of scoring matrix and gap penalties. This allows a database search to focus on the most highly conserved regions of the sequences. It also allows similar domains within sequences to be identified. To speed up alignments using the Smith-Waterman algorithm both BLAST (Basic Local Alignment Search Tool) and FASTA place additional restrictions on the alignments.

Within the context of the present invention alignments are conveniently performed using BLAST, a set of similarity search programs designed to explore all of the available sequence databases regardless of whether the query is protein or DNA. Version BLAST 2.0 (Gapped BLAST) of this search tool has been made publicly available on the internet (currently <http://www.ncbi.nlm.nih.gov/BLAST/>). It uses a heuristic algorithm which seeks local as opposed to global alignments and is therefore able to detect relationships among sequences which share only isolated regions. The scores assigned in a BLAST search have a well-defined statistical interpretation. Particularly useful within the scope of the present invention are the blastp program allowing for the introduction of gaps in the local sequence alignments and the PSI-BLAST program, both programs comparing an amino acid query sequence against a protein sequence database, as well as a blastp variant program allowing local alignment of two sequences only. Said programs are preferably run with optional parameters set to the default values.

Sequence alignments using BLAST can also take into account whether the substitution of one amino acid for another is likely to conserve the physical and chemical properties necessary to maintain the structure and function of the protein or is more likely to disrupt essential structural and functional features of a protein. Such sequence similarity is quantified in terms of a percentage of "positive" amino acids, as compared to the percentage of identical amino acids and can help assigning a protein to the correct protein family in border-line cases.

Specific examples of DNA and encoded proteins according to the present invention are described in SEQ ID NOS: 1-18. The putative ATPase/helicase Atln80 may, as demonstrated in yeast, be part of a complex containing one or more of Rvb1, Rvb2, Arp5 and Arp8. All these proteins may be useful in increasing homologous recombination frequency.

Typically, functional fragments or derivatives are characterized by an amino acid sequence comprising a component sequence of at least 150 amino acid residues having 40% or more identity with an aligned component sequence of the one or more of the polypeptides encoded by the DNA of SEQ ID NOs: 1, 3, 4, 6, 8, 10, 11, 13, 15, 16 or 18. Preferably the amino acid sequence identity is higher than 50% or even higher than 55%. Most preferably

the protein sequence is that of SEQ ID NO:2.

DNA encoding proteins according to the present invention can be isolated from monocotyledonous and dicotyledonous plants. Preferred sources are corn, sugarbeet, sunflower, winter oilseed rape, soybean, cotton, wheat, rice, potato, broccoli, cauliflower, cabbage, cucumber, sweet corn, daikon, garden beans, lettuce, melon, pepper, squash, tomato, or watermelon. However, they can also be isolated from mammalian sources such as mouse or human tissues. The following general method, can be used, which the person skilled in the art knows to adapt to the specific task. A single stranded fragment of the desired gene consisting of at least 15, preferably 20 to 30 or even more than 100 consecutive nucleotides is used as a probe to screen a DNA library for clones hybridizing to said fragment. The factors to be observed for hybridization are described in Sambrook et al, Molecular cloning: A laboratory manual, Cold Spring Harbor Laboratory Press, chapters 9.47-9.57 and 11.45-11.49, 1989. Hybridizing clones are sequenced and DNA of clones comprising a complete coding region encoding a protein characterized by an amino acid sequence comprising a component sequence of at least 150 amino acid residues having *40% or more sequence identity to the protein sequence encoded by the desired gene* is purified. Said DNA can then be further processed by a number of routine recombinant DNA techniques such as restriction enzyme digestion, ligation, or polymerase chain reaction analysis. The disclosure of the nucleotide sequences in SEQ ID NOs: 1, 3, 4, 6, 8, 10, 11, 13, 15, 16 and 18 enables a person skilled in the art to design oligonucleotides for polymerase chain reactions which attempt to amplify DNA fragments from templates comprising a sequence of nucleotides characterized by any continuous sequence of 15 and preferably 20 to 30 or more basepairs of the desired gene.

Suitable vectors for practicing the methods of the invention are well known in the art. Similarly, host cells can be derived from monocotyledonous or dicotyledonous plants. Preferred sources are corn, sugarbeet, sunflower, winter oilseed rape, soybean, cotton, wheat, rice, potato, broccoli, cauliflower, cabbage, cucumber, sweet corn, daikon, garden beans, lettuce, melon, pepper, squash, tomato, or watermelon. However, host cells can also be isolated from other sources, including mammalian sources such as mouse or human cells, in particular stem cells. It is preferred that mammalian homologues are used in mammalian cells.

The methods for increasing homologous recombination are useful to obtain gene targeting so that a gene of interest is introduced into the genome at a desired locus, instead of randomly. For some hosts, in particular crop plants, the gene is preferably expressed in a selected tissue where expression is needed. This is easily achieved by the use of tissue specific promoter. Thus, the present invention provides a method for increasing somatic homologous recombination and increasing gene targeting by modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1, Rvb21, Rvb22, At3g57290, AtArp5.1, AtArp5.2, AtArp5.3 and AtArp8 and fragments, derivatives and homologues thereof, essentially as described above. As is apparent to one of ordinary skill in the art, the corresponding ortholog is preferably used for any particular plant. For example, the corn ortholog of Ino80 is used (or modulated) to increase recombination in corn.

The methods are also useful to improve meiotic recombination, thereby facilitating breeding of species, in which genes encoding a particular phenotype are transferred between plants. Crossing in an interesting trait from another variety or species into a given variety by conventional breeding is a very time and labour-intensive process. Several generations of back-crosses have to be carried out to eliminate the undesired genetic material of the donor species, while maintaining the desired phenotype or trait. Using the methods described above for increasing homologous recombination, meiotic recombination frequencies can be increased, preferably by expressing the desired gene under the control of a meiosis-specific promoter or inducible promoter, the breeding process is speeded up. Thus, the present invention provides a method for increasing meiotic recombination by modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1, Rvb21, Rvb22, At3g57290, AtArp5.1, AtArp5.2, AtArp5.3 and AtArp8 and fragments, derivatives and homologues thereof, essentially as described above.

The Examples below are provided for illustrative purposes and are in no way intended to be limiting to the invention.

EXAMPLES:**Example 1: Identification of sm22 gene effective in increasing homologous gene recombination.**

We have used for our screening a newly constructed a transgenic *Arabidopsis thaliana* line that carries a recombination reporter construct based on the firefly luciferase gene. The structure of the reporter construct - two segments of the luciferase gene arranged as inverted repeats - is comparable to that of the previously described beta-glucuronidase reporter (Swoboda et al. 1994, Puchta et al. 1995a, Puchta et al. 1995b), but offers the advantage that recombination events can be detected in living plants. Luciferase activity in cells in which recombination has restored an intact luciferase gene can be detected by light emission after application of the substrate D-luciferin using a high-sensitivity CCD camera (Millar et al. 1992, Millar et al. 1995a, Millar et al. 1995b, Michelet & Chua 1996).

To induce hyperrecombination mutations in the luciferase recombination reporter line, we used T-DNA activation tagging with a mutagenic construct (pAC102). "Activation tagging" refers to the transcriptional activation of endogenous plant genes by random integration of a construct that carries promoter or enhancer sequences. One published approach for "activation tagging" is the introduction, via *Agrobacterium*-mediated gene transfer, of a T-DNA carrying several copies of the cauliflower mosaic virus (CaMV) 35S enhancer (Fang et al. 1989), which can activate the expression of heterologous genes over a distance (Hayashi et al. 1992, Walden et al. 1994, Kakimoto 1996, Kardailsky et al. 1999, Weigel et al. 2000). Another published approach is the introduction of a complete, outward-pointing CaMV 35S promoter on a transposable Ds element (Wilson et al. 1996, Schaffer et al. 1998, Fridborg et al. 1999). The construct "pAC102" used for our experiments is a combination of these previously described elements: it is a binary vector carrying a T-DNA that can be transferred to plants that contains a complete, outward-pointing copy of the CaMV 35S promoter/enhancer close to the right T-DNA border. Thus, this construct combines the ease of application of T-DNA gene transfer with the genetic ability of a complete promoter, avoiding some of the drawbacks of enhancer-only constructs (Weigel et al. 2000).

In principle, the activation tagging construct can cause several kinds of mutations after integration in the plant genome: gene disruption by insertion within a coding sequence,

activation of plant gene expression by action of the CaMV 35S enhancer, direct expression of a plant gene from the CaMV 35S promoter on the T-DNA, or down-regulation of expression by antisense RNA production driven from the CaMV 35S promoter. The pAC102 T-DNA carries in addition to the 35S promoter a complete copy of the pUC cloning vector to facilitate gene cloning by plasmid rescue (Dilkes & Feldmann 1998), and a sulfonamide resistance marker (Guerineau et al. 1990, Reiss et al. 1996) for selection of transgenic plants.

We transformed 13.000 three-week old *Arabidopsis* ecotype Columbia plants from the luciferase recombination reporter line with the activation-tagging T-DNA construct "pAC102" by *Agrobacterium*-mediated gene-transfer, using the established "floral dip" procedure (Clough & Bent 1998) with a modified infiltration buffer, in which the Silwet L-77 detergent was replaced by 0.05% Extravon® (Ciba). Seeds from the infiltrated plants were harvested three weeks after infiltration. Transgenic progeny carrying the pAC102 activation tagging T-DNA were selected by sowing seeds on perlite substrate drenched with Gamborg B5 mineral medium (Gamborg et al. 1968) containing 10 mg/l sulfadiazine (Sigma), and transferring surviving individuals after 10 days to soil. About 20,000 sulfonamide-resistant plants were isolated; they represent independent transformants with the pAC102 T-DNA activation tagging construct integrated at different random positions in the *Arabidopsis* genome.

When individual plants had grown to the 10-leaf stage, they were assayed for luciferase activity to detect somatic recombination events. Batches of 25 plants were sprayed with the substrate D-luciferin and pictures (typically two) were taken with a "Astrocam" (Gloor Instruments, Uster) by integrating photons over 15 min. Background noise and cosmic radiation was filtered out by correlating both images using the minimum function. Plants showing an increased number of sectors with luciferase activity relative to the average of the population were observed with a frequency of about 1 in 500 plants.

As a result of the screen, a hyperrecombination mutant plant was isolated called *sm22*. The original hyper-recombination phenotype of *sm22* plant shows an enhancement of about 20- to 50- fold for homologous recombination in the reporter line. No other obvious phenotype was seen and the seed yield was normal. Sulfonamide selection in the second generation (T2) revealed a 2/1 or 3/1 segregation of resistant seedlings, thus showing that there is only 1 locus (or 2 closely related loci) with an active T-DNA inserted. However, the T2

recombination phenotype was even lower (less or same number of recombination events per plant) than in the wild type.

After HindIII digestion of T1 callus genomic DNA prepared essentially according to the method of the Nucleon Phytopure protocol and Plant DNA extraction kit (Amersham), plasmid rescue was applied (Dilkes & Feldmann 1998, Mathur et al. 1998), which gave rise to two independent junction fragments. Briefly, we digested plant genomic DNA with HindIII, circularized the resulting fragments by ligation at low DNA concentration, and transformed the ligation mixture into competent *E. coli* TOP10 cells (commercially available from INVITROGEN) by electroporation. Since the HindIII fragments containing the fusion joint between plant DNA and the right end of the activation tagging construct carry a plasmid origin and the ampicillin resistance gene (*bla*) contributed by pAC102, circularization of such fragments will result in a functional bacterial plasmid and confer ampicillin resistance to the *E. coli* cells.

Several colonies were obtained after plating the transformed bacteria on selection medium containing ampicillin. Plasmid DNA of these transformants was prepared and characterized by restriction analysis. To determine the nature of the plant sequences joined to the right end of the T-DNA, the plant DNA insert from these rescued plasmids was sequenced from both sides, using one custom sequencing primer complementary to the T-DNA right end reading towards the plant DNA, and the standard M13 reverse sequencing primer, reading from the pAC102 vector sequences into the plant DNA insert from the other end. The obtained DNA sequences were compared to the GenBank nucleotide database using the BLASTN search program.

Two insertions were identified. The first one corresponds to a single T-DNA insertion without deletion (left border, LB, junction sequenced) in the N-terminal region of a putative ATPase/helicase gene, in antisense orientation. The second T-DNA inserted in a gene with no obvious relationship to homologous recombination (gb AF082176_1) and does not confer sulfonamide resistance. Six (T3) resistant families were analysed by PCR and Southern. Only one family contained some plants with the second insertion whereas all families have the helicase insertion site.

In subsequent generations, homozygous plants for the helicase insertion site were obtained. The homologous recombination frequency of heterozygous and homozygous plants for this insertion site was at least 50% and 15%, respectively, and up to 80% and 20%, respectively, of the wild type level.

The complete cDNA (4.8kb) was cloned in two steps. First, a public EST containing the 3' part was sequenced. Then the 5' part of the cDNA was amplified by RT-PCR on Col-0 (*Arabidopsis* Columbia ecotype, wild type) callus RNA (prepared with the Qiagen RNeasy Plant Kit), using primers in the 5' untranslated region including a stop codon in frame with the predicted ATG (sm5UT) to make sure that the complete 5' part of the cDNA was amplified. The primer sequences were sm5UT: ctagaagcctttaaggatTAAgactctcc (SEQ ID NO:19) and for 3' primer: ctcgatgtatccccctctcc (SEQ ID NO:20). The coding sequence is provided as SEQ ID NO.1 and is similar to but not identical to At3g57300 (see Fig.1).

The predicted helicase gene (8kb genomic DNA) has about 23 exons encoding a protein of 1507 amino acids (SEQ ID NO:2). It is predicted to be an ATPase of the Swi2/Snf2 family, and contains several nuclear localization signals (NLS). The ATPase/helicase gene is the putative *Arabidopsis* ortholog of the yeast Ino80p/YGL150c protein (Ebbert et al. (1999), Shen et al. (2000)). Homologs exist in yeast, budding yeast, *Drosophila* and human. These four homologues have several highly conserved regions including the six motifs of the SWI2/SNF2 helicase domain. Several NLS suggest a nuclear localization of the gene product.

In the sm22 heterozygous and homozygous mutant, the level of Ino80 transcript is respectively about 50% of the wild type situation or absent, as measured by semi-quantitative RT-PCR (5' At3g57300 primer: TGATGGATCTATCACCATCAG, SEQ ID NO:21; 3' At3g57300 primer: ggtgggattccaatcacttc, SEQ ID NO:22) and by northern blot hybridization. For this, the RNA was extracted from 2 weeks old seedlings using the QIAGEN RNeasy plant extraction kit following the manufacturer's instructions. Together with the decrease of homologous recombination in sm22 plants described above (50% in heterozygous plants, 15% in homozygous mutant), this result shows that the level of Ino80 gene product might positively and directly regulate the homologous recombination frequency, making this gene a choice candidate to positively regulate homologous recombination.

Results with a recombination reporter line 1445 (Gherbi et al. 2001) overexpressing the INO80 cDNA under the control of the 35S promoter and with an N-terminal HA-tag interrupted by an intron show upregulation of homologous recombination providing evidence that INO80 upregulates homologous recombination.

The yeast homolog (Ebbert *et al.*, 1999), INO80(=YGL150c) is part of a big complex >1MDa (monomeric form is 171KDa), containing two essential helicases Rvb1p and Rvb2p and actin related proteins (arp) Arp4, Arp5 and Arp8 (Cho et al. 2001; Jonsson et al. 2001; Wood et al. 2000). Thus, the involvement of Ino80 in homologous recombination implicates the activity of these other genes in homologous recombination. In eukaryotes Human Rvb1p and Rvb2p are also known (Kanemaki 1999, Ikura et al. 2000, Shen et al. 2000).

In *Arabidopsis thaliana* we found three genes closely related to Rvbs from other organisms, AtRvb1 (SEQ ID NO:4, SEQ ID NO:5), AtRvb21 (SEQ ID NO: 6, SEQ ID NO:7) and AtRvb22 (SEQ ID NO:8, SEQ ID NO:9). The three genes are expressed (RT-PCR) and some of them are positively regulated by genotoxic stress (UVc, bleomycin). For treatment with Bleomycin (BLM) 2 week-old *Arabidopsis* seedlings were placed under sterile conditions in liquid GM medium containing 10^{-6} M of BLM (Sigma) or 100 ppm of MMS (Fluka, Switzerland). For UV-C irradiation (6000 ergs) 2 week-old seedlings were irradiated with light provided by a HNS 55W OFR lamp (Osram). After treatment, plants were harvested at several time points (30min, 1h, 4h and 12h) and RNA extracted as described above. Then semi-quantitative RT-PCR analysis was performed with the following primers AtIno80 (TGATGGATCTATCACCATCAG, SEQ ID NO:23; ggtgggattccaatcacttc, SEQ ID NO:24) AtRvb1 (tttggatggccaaatgatg, SEQ ID NO:25; ctccaaCCTAGGtgagatgttcaacaaaatgtgc, SEQ ID NO:26) AtRvb21 (tcaacagcaggacacaagg, SEQ ID NO:27; cccaatgCCTAGGaaatccgagttcaacatcctaac, SEQ ID NO:28) AtRvb22 (acaaaccagatatcagcacatgg, SEQ ID NO:29; aacaagtactcgctctcatgctc, SEQ ID NO:30).

To characterize further the *Atino80-1* HR deficiency, we subjected the mutant to various genotoxic stresses. In parallel with the original *ino80* mutant we also tested two allelic mutants of *INO80* from the publicly available SAIL mutant collection. Neither bleomycin nor Mitomycin-C or UV-C sensitivity was shifted in the *Atino80-1* mutants, in any of the various conditions tested. All the *Atino80-1* alleles seem to be slightly hypersensitive to MMS (methyl

methanesulfonate), which is also known to induce DNA double-strand breaks. The difference in sensitivity is visible at 60 and 80ppm of MMS on root elongation and rosette growth. Most mutations affecting DNA repair or recombination also give rise to changes in the sensitivity to DNA damaging agents. We challenged *Atino80-1* mutant plants with various treatments known to induce DNA damage and recombination. None of the tested agents (UV-C, bleomycin, Mitomycin-C and MMS) gave rise to a shift in sensitivity, with the exception of a slight change for MMS. This suggests a difference for the role of INO80 in plants compared to yeast (Ebbert et al., 1999; Shen et al. 2000) and supports the use of AtINO80 to regulate homologous recombination without affecting the major repair pathway in plants.

In the sm22 background the steady state level of AtRvb21 and AtRvb22 was shown to be down-regulated using RT-PCR on RNA extracted as above mentioned.

This indicates that the components of the putative Arabidopsis INO80 complex show co-regulation at the transcriptional level, supporting the use of Arabidopsis Rvb1, Rvb21 and Rvb22 and the *Arabidopsis* Arp protein orthologs to manipulate homologous recombination frequency in plants.

Example 2: AtRvb1 as positive regulator of homologous recombination.

As describe above (Example 1), the original recombination-up phenotype found in sm22 can be associated with an effect mediated by the Arabidopsis Rvb1 and 2 orthologs. Thus, *AtRvb1 can be used as a positive regulator of homologous recombination.*

Example 3: AtRvb21 as positive regulator of homologous recombination.

As describe above (Example 1), the original recombination-up phenotype found in sm22 can be associated with an effect mediated by the Arabidopsis Rvb1 and 2 orthologs. Thus, *AtRvb21 can be used as a positive regulator of homologous recombination.*

Example 4: AtRvb22 as positive regulator of homologous recombination.

As describe above (Example 1), the original recombination-up phenotype found in sm22 can be associated with an effect mediated by the Arabidopsis Rvb1 and 2 orthologs. Thus, *AtRvb22 can be used as a positive regulator of homologous recombination.*

Example 5: At3g57290 as positive regulator of homologous recombination.

In the *sm22* mutant (Example 5), the At3g57290p gene is potentially overexpressed by the 35S Enhancer/promoter. Over expression of this gene in the *sm22* context or directly with a 35S promoter can be carried out to reproduce the original recombination-up phenotype. The phenotype was lost in the second generation (Example 1), at which point At3g57290 is not overexpressed any longer allowing a temporal ability to modulate homologous recombination.

Example 6: *AtArp* as positive regulators of homologous recombination.

As describe above (Example 1), the original recombination-up phenotype found in *sm22* can be associated with an effect mediated by other components of the Arabidopsis INO80 complex, such as the Arp homolog *AtArp5.1*, *AtArp5.2*, *AtArp5.3* and/or *AtArp8*. Any of these Arp hmologues can be used as a positive regulator of homologous recombination, alone or in combination.

All publications referred to herein as well as the disclosure of GB patent application 0214896.3 are incorporated by reference as if each is referred to individually.

What is claimed is:

1. An isolated nucleic acid comprising a sequence having 98.5% or more identity with the sequence depicted in SEQ ID NO:1.
2. The nucleic acid of claim 1, wherein said nucleic acid is DNA.
3. A vector comprising the nucleic acid of claim 2.
4. A host cell comprising the vector or nucleic acid of claim 3.
5. A polypeptide encoded by the isolated nucleic acid of claim 1.
6. A method for inducing homologous recombination in a cell, said method comprising modulating the expression or properties of one or more gene products selected from the group consisting of AtIno80, At3g57300, Rvb1, Rvb21, Rvb22, Arp5 and Arp8, fragments, derivatives and homologues thereof.
7. The method of claim 11, said method comprising increasing expression of said gene product.
8. The method of claim 12, said method comprising introducing a nucleic acid encoding said gene product into said cell operably linked to a promoter; and allowing transcription and translation of said gene in an amount sufficient to affect homologous recombination in said cell.
9. The method of claim 13, wherein said homologous recombination is somatic homologous recombination.
10. The method of claim 13, wherein said homologous recombination is meiotic homologous recombination.
11. The method of claim 13, wherein said promoter is an inducible promoter.
12. The method of claim 13, wherein said promoter is a tissue-specific promoter.
13. The method of claim 13, wherein said promoter is a constitutive promoter.

14. The method of claim 13, wherein said promoter is a meiosis-specific promoter.
15. A method of increasing gene targeting to a desired locus in a host cell, said method comprising *introducing a desired gene into a host cell, modulating the expression or properties of one or more gene products selected from the group consisting of Atln080, At3g57300, Rvb1, Rvb21, Rvb22, Arp5 and Arp8 or functional fragments, derivatives and homologues thereof in said host cell, and detecting integration of said desired gene at a selected locus in the genome of said host cell.*

Figure 1

>Alignment of Atln0 80 sequence and public sequence, At3g57300, showing splicing difference

Query: claimed sequence

Sbjct: gi|18410689|ref|NM_115590.1| (AGI:At3g57300)

```
Query: 1   atggatccttcaagacgaccaccgaaggactctccttacgcgaatctattcgatctcgag 60
          |||
Sbjct: 1   atggatccttcaagacgaccaccgaaggactctccttacgcgaatctattcgatctcgag 60

Query: 61   ccgttgatgaagtttagaattccgaaacctgaagatgaagttgattattatgggagtagt 120
          |||
Sbjct: 61   ccgttgatgaagtttagaattccgaaacctgaagatgaagttgattattatgggagtagt 120

Query: 121  agccaggatgaaagtagaagcactcaaggtgggtagtggaactacagcaatgggtct 180
          |||
Sbjct: 121  agccaggatgaaagtagaagcactcaaggtgggtagtggaactacagcaatgggtct 180

Query: 181  aaatcgagaatgaatgacgagctccaagaagagaaagcggtaggacagaagctgaggatgca 240
          |||
Sbjct: 181  aaatcgagaatgaatgacgagctccaagaagagaaagcggtaggacagaagctgaggatgca 240

Query: 241  gaggacgatgatgatctctacaatcaacatgttactgaggagcactaccgatcaatgctt 300
          |||
Sbjct: 241  gaggacgatgatgatctctacaatcaacatgttactgaggagcactaccgatcaatgctt 300

Query: 301  ggggagcatgtacaaaaattcaaaaataggtccaaggagactcaaggaatcctcctcat 360
          |||
Sbjct: 301  ggggagcatgtacaaaaattcaaaaataggtccaaggagactcaaggaatcctcctcat 360

Query: 361  ctgatgggttttccggtgctaaagagcaatgtgggcagttacagaggtaggaaaccaggg 420
          |||
Sbjct: 361  ctgatgggttttccggtgctaaagagcaatgtgggcagttacagaggtaggaaaccaggg 420

Query: 421  aatgattaccatgggaggttctatgacatggacaactctccaaattttgcagctgatgtg 480
          |||
Sbjct: 421  aatgattaccatgggaggttctatgacatggacaactctccaaattttgcagctgatgtg 480

Query: 481  accccacatagggcaggaagctaccatgatcgtgatattacaccaagatagcatatgaa 540
          |||
Sbjct: 481  accccacatagggcaggaagctaccatgatcgtgatattacaccaagatagcatatgaa 540

Query: 541  ccttcgtatttggacattggtgatggtgtcatctacaaaatcccccaagttatgacaag 600
          |||
Sbjct: 541  ccttcgtatttggacattggtgatggtgtcatctacaaaatcccccaagttatgacaag 600

Query: 601  ctggtggcatcattaaacttaccgagcttttcagacattcatgtggaagaattttacttg 660
          |||
Sbjct: 601  ctggtggcatcattaaacttaccgagcttttcagacattcatgtggaagaattttacttg 660

Query: 661  aaaggaactctggatctgagatcatttagcagaactgatggcaagtataaaaggtctgga 720
          |||
Sbjct: 661  aaaggaactctggatctgagatcatttagcagaactgatggcaagtataaaaggtctgga 720

Query: 721  gtaagaagccgtaaatggaatgggtgagcctcgacctcaatatgaatctcttcaagctaga 780
          |||
Sbjct: 721  gtaagaagccgtaaatggaatgggtgagcctcgacctcaatatgaatctcttcaagctaga 780

Query: 781  atgaaggccctgtcaccttcaactccaccccaatttttagcctcaaggtgtcagaagct 840
          |||
Sbjct: 781  atgaaggccctgtcaccttcaactccaccccaatttttagcctcaaggtgtcagaagct 840

Query: 841  gcaatgaattctgccattccagaaggatctgctggaagtactgcacggacaattctgtct 900
          |||
Sbjct: 841  gcaatgaattctgccattccagaaggatctgctggaagtactgcacggacaattctgtct 900

Query: 901  gaggggtggtgttttacaggtccattacgtgaagattctggagaagggggatacatagag 960
          |||
Sbjct: 901  gaggggtggtgttttacaggtccattacgtgaagattctggagaagggggatacatagag 960

Query: 961  attgttaaacaagtctaccgaagaagctgaaagcaaagaatgatcctgcagtcattgag 1020
```

Sbjct: 961 |||ttg|taaac|gaag|tctacc|gaagaag|ctgaa|gcaagaat|gatc|ctgcag|tcattgag 1020

Query: 1021 aaaacagaaagggataaaaattagaaaagcctggatcaatattgtcagaagagatatagca 1080

Sbjct: 1021 aaaacagaaagggataaaaattagaaaagcctggatcaatattgtcagaagagatatagca 1080

Query: 1081 aaacaccatagaattttctactacttttcatcgtaaactatcaattgatgccaaagaggttt 1140

Sbjct: 1081 aaacaccatagaattttctactacttttcatcgtaaactatcaattgatgccaaagaggttt 1140

Query: 1141 gcagatgggttgccaaagagaggtgagaatgaaggtgggtagatcatacaaaatcccaaga 1200

Sbjct: 1141 gcagatgggttgccaaagagaggtgagaatgaaggtgggtagatcatacaaaatcccaaga 1200

Query: 1201 actgcaccaattcgctactaggaagatatccagagacatgctgctattctggaagcgatat 1260

Sbjct: 1201 actgcaccaattcgctactaggaagatatccagagacatgctgctattctggaagcgatat 1260

Query: 1261 gacaagcagatggcagaagagagggaaaaagcaagaaaggaagctgcagaggctttttaa 1320

Sbjct: 1261 gacaagcagatggcagaagagagggaaaaagcaagaaaggaagctgcagaggctttttaa 1320

Query: 1321 cgtgaacaggagcagcgagagtcaaaaaggcagcaacaaaggctcaatttccttattaaa 1380

Sbjct: 1321 cgtgaacaggagcagcgagagtcaaaaaggcagcaacaaaggctcaatttccttattaaa 1380

Query: 1381 cagactgagctttacagtcacttcatgcaaaacaagaccgattcgaatccttccgaagcc 1440

Sbjct: 1381 cagactgagctttacagtcacttcatgcaaaacaagaccgattcgaatccttccgaagcc 1440

Query: 1441 ttaccaataggtgatgaaaatccgattgacgaagtgtctccagaaacttcagcggcagaa 1500

Sbjct: 1441 ttaccaataggtgatgaaaatccgattgacgaagtgtctccagaaacttcagcggcagaa 1500

Query: 1501 ccttctgaggtagaggatcctgaagaggctgaactgaaggaaaggctcttgagagctgcc 1560

Sbjct: 1501 ccttctgaggtagaggatcctgaagaggctgaactgaaggaaaggctcttgagagctgcc 1560

Query: 1561 caagatgcggtgtcttaagcagaagcaataacagatgcatttgacactgaatatatgaag 1620

Sbjct: 1561 caagatgcggtgtcttaagcagaagcaataacagatgcatttgacactgaatatatgaag 1620

Query: 1621 ctacgccaaacttctgaaatggaaggtcctttaaatgatatatcagtttctggctcgagc 1680

Sbjct: 1621 ctacgccaaacttctgaaatggaaggtcctttaaatgatatatcagtttctggctcgagc 1680

Query: 1681 aatatagatttgcatatacccatctacaatgcctgttacatcaacagttcagactccagag 1740

Sbjct: 1681 aatatagatttgcatatacccatctacaatgcctgttacatcaacagttcagactccagag 1740

Query: 1741 ttattttaaggaaacccttaaagaataaccaaatgaaaggccttcagtggctagtcaattgt 1800

Sbjct: 1741 ttattttaaggaaacccttaaagaataaccaaatgaaaggccttcagtggctagtcaattgt 1800

Query: 1801 tatgagcagggtttgaatggcacttgcctgatgaaatgggcttgggtaagactattcaa 1860

Sbjct: 1801 tatgagcagggtttgaatggcacttgcctgatgaaatgggcttgggtaagactattcaa 1860

Query: 1861 gctatggcgttcttggcacatttggctgaggaaaagaacatttgggtccatttcttgtt 1920

Sbjct: 1861 gctatggcgttcttggcacatttggctgaggaaaagaacatttgggtccatttcttgtt 1920

Query: 1921 gttgccctgcctctgttcttaacaattgggctgatgaaatcagtcgtttctgtcctgac 1980

Sbjct: 1921 gttgccctgcctctgttcttaacaattgggctgatgaaatcagtcgtttctgtcctgac 1980

Query: 1981 ttgaaaactcttccatatttggggaggattacaagaacgaacaattttaagaaagaatatc 2040

Sbjct: 1981 ttgaaaactcttccatatttggggaggattacaagaacgaacaattttaagaaagaatatc 2040

Query: 2041 aatcccaagcgtatgtaccgaagggtgctggctttcatattttgattactagctatcag 2100

Sbjct: 2041 aatcccaagcgtatgtaccgaagggtgctggctttcatattttgattactagctatcag 2100

Query: 2101 ctattagtcactgatgaaaagtatttctgcgggtgaagtggcaatatatggtgctagat 2160

Sbjct: 2101 ctattagtcactgatgaaaagtatttctgcgggtgaagtggcaatatatggtgctagat 2160

Query: 2161 gaggcccaagcaatcaagagttcctccagtataagatggaaaacccttcttagttttaac 2220

Sbjct: 2161 gaggcccaagcaatcaagagttcctccagtataagatggaaaacccttcttagttttaac 2220

Query: 2221 tgtcggaaaccgattgcttctgactggactccaattcagaacaacatggcagagttatgg 2280
|||||

Sbjct: 2221 tgtcggaaaccgattgcttctgactggactccaattcagaacaacatggcagagttatgg 2280

Query: 2281 gccctgctgcatttcatcatgccaatgttgtttgacaaccatgatcaatttaataatgaatgg 2340
|||||

Sbjct: 2281 gccctgctgcatttcatcatgccaatgttgtttgacaaccatgatcaatttaataatgaatgg 2340

Query: 2341 ttctcaaaaggaattgagaatcatgctgaacacggaggcactttaaatgagcaccagctt 2400
|||||

Sbjct: 2341 ttctcaaaaggaattgagaatcatgctgaacacggaggcactttaaatgagcaccagctt 2400

Query: 2401 aacagactgcatgcatcttgaacacgttcatgcttcgacgggtaaaaaaggatgtgggt 2460
|||||

Sbjct: 2401 aacagactgcatgcatcttgaacacgttcatgcttcgacgggtaaaaaaggatgtgggt 2460

Query: 2461 tctgagctaactacaaagacggaagttaacgtacactgcaagctcagttctcgacaacaa 2520
|||||

Sbjct: 2461 tctgagctaactacaaagacggaagttaacgtacactgcaagctcagttctcgacaacaa 2520

Query: 2521 gctttttatcaggctattaagaacaaaatttctctggctgagttgtttgatagcaaccgc 2580
|||||

Sbjct: 2521 gctttttatcaggctattaagaacaaaatttctctggctgagttgtttgatagcaaccgc 2580

Query: 2581 ggacaatttactgataagaaagtattgaatttaataatgaattattgtcattcaactaaggaag 2640
|||||

Sbjct: 2581 ggacaatttactgataagaaagtattgaatttaataatgaattattgtcattcaactaaggaag 2640

Query: 2641 gtttgcaaccatccagagttgttcgaaaggaatgaaggagctcgtatctctactttgga 2700
|||||

Sbjct: 2641 gtttgcaaccatccagagttgttcgaaaggaatgaaggagctcgtatctctactttgga 2700

Query: 2701 gtgacttccaattctcttttgccccatccctttggtgagctagaggatgtacattattct 2760
|||||

Sbjct: 2701 gtgacttccaattctcttttgccccatccctttggtgagctagaggatgtacattattct 2760

Query: 2761 ggtggtcaaaatccgataatatacaagatacctaagctactacaccaagagggtgctccaa 2820
|||||

Sbjct: 2761 ggtggtcaaaatccgataatatacaagatacctaagctactacaccaagagggtgctccaa 2820

Query: 2821 aattctgaaacattttgttcttctgtcggcggtggcatctcaagagaatcttttctgaag 2880
|||||

Sbjct: 2821 aattctgaaacattttgttcttctgtcggcggtggcatctcaagagaatcttttctgaag 2880

Query: 2881 cattttaatatatattcacctgagtatattcttaagtcaatattcccatctgatagtggtg 2940
|||||

Sbjct: 2881 cattttaatatatattcacctgagtatattcttaagtcaatattcccatctgatagtggtg 2940

Query: 2941 gtagatcaagtggttagtggaagtggagcatttggtttttcacgcttgatggatctatca 3000
|||||

Sbjct: 2941 gtagatcaagtggttagtggaagtggagcatttggtttttcacgcttgatggatctatca 3000

Query: 3001 ccatcagaagttggatatctggctctgtgttctgttgagaaaggctattattttctata 3060
|||||

Sbjct: 3001 ccatcagaagttggatatctggctctgtgttctgttgagaaaggctattattttctata 3060

Query: 3061 ctgaggtgggagcggcaatttttggatgaattagtttaactctcttatggagtccaaggat 3120
|||||

Sbjct: 3061 ctgaggtgggagcggcaatttttggatgaattagtttaactctcttatggagtccaaggat 3120

Query: 3121 ggtgatcttagtgacaataacatcgagagagttaaaaccaaagctgtcacaagaatgttg 3180
|||||

Sbjct: 3121 ggtgatcttagtgacaataacatcgagagagttaaaaccaaagctgtcacaagaatgttg 3180

Query: 3181 ctgatgccatcaaaagttgaaacgaattttcagaaaaggagactaagcacagggcctacc 3240
|||||

Sbjct: 3181 ctgatgccatcaaaagttgaaacgaattttcagaaaaggagactaagcacagggcctacc 3240

Query: 3241 cgtccttcatattgaagcgctagtgatctctcatcaggataggtttctttcaagtatcaaa 3300

Query: 3997 gagacggtggaagagaaaattttgcacagggcaagtcagaaaaatacagttcaacagctt 4056
Sbjct: 3970 gagacggtggaagagaaaattttgcacagggcaagtcagaaaaatacagttcaacagctt 4029

Query: 4057 gttatgactggagggcatgttcaggggtgatgattttcttggagctgcggatgtggtatct 4116
Sbjct: 4030 gttatgactggagggcatgttcaggggtgatgattttcttggagctgcggatgtggtatct 4089

Query: 4117 ctgctaattggatgatgcggaggcagcacaaactggagcagaaaattcagagaactaccatta 4176

Sbjct: 4090 ||| ctgctaattggatgatgcggaggcagcacaaactggagcagaaattcagagaactaccatta 4149

Query: 4177 caggtaaaggacaggcagaagaaaaagacgaaacgtatcagaatagatgctgaaggagat 4236
|||

Sbjct: 4150 cagg-----acaggcagaagaaaaagacgaaacgtatcagaatagatgctgaaggagat 4203

Query: 4237 gcaactttggaagagttagaagatggtgaccgacaggataacggacaggaacctttggaa 4296
|||

Sbjct: 4204 gcaactttggaagagttagaagatggtgaccgacaggataacggacaggaacctttggaa 4263

Query: 4297 gaaccggaaaagccaaaatccagtaataaaaaggaggagagctgcttcaaatccgaaagct 4356
|||

Sbjct: 4264 gaaccggaaaagccaaaatccagtaataaaaaggaggagagctgcttcaaatccgaaagct 4323

Query: 4357 agagctcctcagaaagcaaaggaagaagcaaatggtgaagatactcctcagaggacaaaa 4416
|||

Sbjct: 4324 agagctcctcagaaagcaaaggaagaagcaaatggtgaagatactcctcagaggacaaaa 4383

Query: 4417 agggtaaagagacaaacaaagagcataaacgaaagtcttgaacctgtattctctgcctct 4476
|||

Sbjct: 4384 agggtaaagagacaaacaaagagcataaacgaaagtcttgaacctgtattctctgcctct 4443

Query: 4477 gtaacagaatcaataaaggattcgatccaagtagctccgctaactaa 4524
|||

Sbjct: 4444 gtaacagaatcaataaaggattcgatccaagtagctccgctaactaa 4491

SEQUENCE LISTING

<110> Novartis Forschungsstiftung, Zweigniederlassung Friedrich Miescher
Institute for Biomedical Research

<120> Gene for increased somatic recombination

<130> 1-325468

<160> 30

<170> PatentIn version 3.1

<210> 1

<211> 4524

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(4524)

<223>

<400> 1	
atg gat cct tca aga cga cca ccg aag gac tct cct tac gcg aat cta	48
Met Asp Pro Ser Arg Arg Pro Pro Lys Asp Ser Pro Tyr Ala Asn Leu	
1 5 10 15	
ttc gat ctc gag ccg ttg atg aag ttt aga att ccg aaa cct gaa gat	96
Phe Asp Leu Glu Pro Leu Met Lys Phe Arg Ile Pro Lys Pro Glu Asp	
20 25 30	
gaa gtt gat tat tat ggg agt agt agc cag gat gaa agt aga agc act	144
Glu Val Asp Tyr Tyr Gly Ser Ser Ser Gln Asp Glu Ser Arg Ser Thr	
35 40 45	
caa ggt ggg gta gtg gca aac tac agc aat ggg tct aaa tcg aga atg	192
Gln Gly Gly Val Val Ala Asn Tyr Ser Asn Gly Ser Lys Ser Arg Met	
50 55 60	
aat gcg agc tcc aag aag aga aag cgg tgg aca gaa gct gag gat gca	240
Asn Ala Ser Ser Lys Lys Arg Lys Arg Trp Thr Glu Ala Glu Asp Ala	
65 70 75 80	

gag gac gat gat gat ctc tac aat caa cat gtt act gag gag cac tac	288
Glu Asp Asp Asp Asp Leu Tyr Asn Gln His Val Thr Glu Glu His Tyr	
85 90 95	
cga tca atg ctt ggg gag cat gta caa aaa ttc aaa aat agg tcc aag	336
Arg Ser Met Leu Gly Glu His Val Gln Lys Phe Lys Asn Arg Ser Lys	
100 105 110	
gag act caa ggg aat cct cct cat ctg atg ggt ttt ccg gtg cta aag	384
Glu Thr Gln Gly Asn Pro Pro His Leu Met Gly Phe Pro Val Leu Lys	
115 120 125	
agc aat gtg ggc agt tac aga ggt agg aaa cca ggg aat gat tac cat	432
Ser Asn Val Gly Ser Tyr Arg Gly Arg Lys Pro Gly Asn Asp Tyr His	
130 135 140	
ggg agg ttc tat gac atg gac aac tct cca aat ttt gca gct gat gtg	480
Gly Arg Phe Tyr Asp Met Asp Asn Ser Pro Asn Phe Ala Ala Asp Val	
145 150 155 160	
acc cca cat agg cga gga agc tac cat gat cgt gat att aca ccc aag	528
Thr Pro His Arg Arg Gly Ser Tyr His Asp Arg Asp Ile Thr Pro Lys	
165 170 175	
ata gca tat gaa cct tcg tat ttg gac att ggt gat ggt gtc atc tac	576
Ile Ala Tyr Glu Pro Ser Tyr Leu Asp Ile Gly Asp Gly Val Ile Tyr	
180 185 190	
aaa atc ccc cca agt tat gac aag ctg gtg gca tca tta aac tta ccg	624
Lys Ile Pro Pro Ser Tyr Asp Lys Leu Val Ala Ser Leu Asn Leu Pro	
195 200 205	
agc ttt tca gac att cat gtg gaa gaa ttt tac ttg aaa gga act ctg	672
Ser Phe Ser Asp Ile His Val Glu Glu Phe Tyr Leu Lys Gly Thr Leu	
210 215 220	
gat ctg aga tca tta gca gaa ctg atg gca agt gat aaa agg tct gga	720
Asp Leu Arg Ser Leu Ala Glu Leu Met Ala Ser Asp Lys Arg Ser Gly	
225 230 235 240	
gta aga agc cgt aat gga atg ggt gag cct cga cct caa tat gaa tct	768
Val Arg Ser Arg Asn Gly Met Gly Glu Pro Arg Pro Gln Tyr Glu Ser	
245 250 255	
ctt caa gct aga atg aag gcc ctg tca cct tca aac tcc acc cca aat	816
Leu Gln Ala Arg Met Lys Ala Leu Ser Pro Ser Asn Ser Thr Pro Asn	
260 265 270	
ttt agc ctc aag gtg tca gaa gct gca atg aat tct gcc att cca gaa	864
Phe Ser Leu Lys Val Ser Glu Ala Ala Met Asn Ser Ala Ile Pro Glu	
275 280 285	
gga tct gct gga agt act gca cgg aca att ctg tct gag ggt ggt gtt	912
Gly Ser Ala Gly Ser Thr Ala Arg Thr Ile Leu Ser Glu Gly Gly Val	
290 295 300	
tta cag gtc cat tac gtg aag att ctg gag aag ggg gat aca tac gag	960
Leu Gln Val His Tyr Val Lys Ile Leu Glu Lys Gly Asp Thr Tyr Glu	
305 310 315 320	
att gtt aaa cga agt cta ccg aag aag ctg aaa gca aag aat gat cct	1008
Ile Val Lys Arg Ser Leu Pro Lys Lys Leu Lys Ala Lys Asn Asp Pro	
325 330 335	
gca gtc att gag aaa aca gaa agg gat aaa att aga aaa gcc tgg atc	1056
Ala Val Ile Glu Lys Thr Glu Arg Asp Lys Ile Arg Lys Ala Trp Ile	

340						345						350						
aat Asn	att Ile	gtc Val 355	aga Arg	aga Arg	gat Asp	ata Ile	gca Ala 360	aaa Lys	cac His	cat His	aga Arg	att Ile 365	ttc Phe	act Thr	act Thr	1104		
ttt Phe	cat His 370	cgt Arg	aaa Lys	cta Leu	tca Ser	att Ile 375	gat Asp	gcc Ala	aag Lys	agg Arg	ttt Phe 380	gca Ala	gat Asp	ggt Gly	tgc Cys	1152		
caa Gln 385	aga Arg	gag Glu	gtg Val	aga Arg	atg Met 390	aag Lys	gtg Val	ggt Gly	aga Arg	tca Ser 395	tac Tyr	aaa Lys	atc Ile	cca Pro	aga Arg 400	1200		
act Thr	gca Ala	cca Pro	att Ile	cgc Arg 405	act Thr	agg Arg	aag Lys	ata Ile	tcc Ser 410	aga Arg	gac Asp	atg Met	ctg Leu	cta Leu 415	ttc Phe	1248		
tgg Trp	aag Lys	cga Arg	tat Tyr 420	gac Asp	aag Lys	cag Gln	atg Met	gca Ala 425	gaa Glu	gag Glu	agg Arg	aaa Lys	aag Lys 430	caa Gln	gaa Glu	1296		
aag Lys	gaa Glu	gct Ala 435	gca Ala	gag Glu	gct Ala	ttt Phe	aaa Lys 440	cgt Arg	gaa Glu	cag Gln	gag Glu	cag Gln 445	cga Arg	gag Glu	tca Ser	1344		
aaa Lys	agg Arg 450	cag Gln	caa Gln	caa Gln	agg Arg	ctc Leu 455	aat Asn	ttc Phe	ctt Leu	att Ile	aaa Lys 460	cag Gln	act Thr	gag Glu	ctt Leu	1392		
tac Tyr 465	agt Ser	cac His	ttc Phe	atg Met	caa Gln 470	aac Asn	aag Lys	acc Thr	gat Asp	tcg Ser 475	aat Asn	cct Pro	tcc Ser	gaa Glu	gcc Ala 480	1440		
tta Leu	cca Pro	ata Ile	ggt Gly	gat Asp 485	gaa Glu	aat Asn	ccg Pro	att Ile	gac Asp 490	gaa Glu	gtg Val	ctc Leu	cca Pro	gaa Glu 495	act Thr	1488		
tca Ser	gcg Ala	gca Ala	gaa Glu 500	cct Pro	tct Ser	gag Glu	gta Val	gag Glu 505	gat Asp	cct Pro	gaa Glu	gag Glu	gct Ala 510	gaa Glu	ctg Leu	1536		
aag Lys	gaa Glu	aag Lys 515	gtc Val	ttg Leu	aga Arg	gct Ala	gcc Ala 520	caa Gln	gat Asp	gcg Ala	gtg Val	tct Ser 525	aag Lys	cag Gln	aag Lys	1584		
caa Gln	ata Ile 530	aca Thr	gat Asp	gca Ala	ttt Phe	gac Asp 535	act Thr	gaa Glu	tat Tyr	atg Met	aag Lys 540	cta Leu	cgc Arg	caa Gln	act Thr	1632		
tct Ser 545	gaa Glu	atg Met	gaa Glu	ggt Gly	cct Pro 550	tta Leu	aat Asn	gat Asp	ata Ile	tca Ser 555	gtt Val	tct Ser	ggc Gly	tcg Ser	agc Ser 560	1680		
aat Asn	ata Ile	gat Asp	ttg Leu	cat His 565	aac Asn	cca Pro	tct Ser	aca Thr	atg Met 570	cct Pro	gtt Val	aca Thr	tca Ser	aca Thr 575	gtt Val	1728		
cag Gln	act Thr	cca Pro	gag Glu 580	tta Leu	ttt Phe	aaa Lys	gga Gly	acc Thr 585	ctt Leu	aaa Lys	gaa Glu	tac Tyr	caa Gln 590	atg Met	aaa Lys	1776		
ggc Gly	ctt Leu	cag Gln 595	tggt Trp	cta Leu	gtc Val	aat Asn	tgt Cys 600	tat Tyr	gag Glu	cag Gln	ggt Gly	ttg Leu 605	aat Asn	ggc Gly	ata Ile	1824		

ctt gct gat gaa atg ggc ttg ggt aag act att caa gct atg gcg ttc Leu Ala Asp Glu Met Gly Leu Gly Lys Thr Ile Gln Ala Met Ala Phe 610 615 620	1872
ttg gca cat ttg gct gag gaa aag aac att tgg ggt cca ttt ctt gtt Leu Ala His Leu Ala Glu Glu Lys Asn Ile Trp Gly Pro Phe Leu Val 625 630 640	1920
gtt gcc cct gcc tct gtt ctt aac aat tgg gct gat gaa atc agt cgt Val Ala Pro Ala Ser Val Leu Asn Asn Trp Ala Asp Glu Ile Ser Arg 645 650 655	1968
ttc tgt cct gac ttg aaa act ctt cca tat tgg gga gga tta caa gaa Phe Cys Pro Asp Leu Lys Thr Leu Pro Tyr Trp Gly Gly Leu Gln Glu 660 665 670	2016
cga aca att tta aga aag aat atc aat ccc aag cgt atg tac cga agg Arg Thr Ile Leu Arg Lys Asn Ile Asn Pro Lys Arg Met Tyr Arg Arg 675 680 685	2064
gat gct ggc ttt cat att ttg att act agc tat cag cta tta gtc act Asp Ala Gly Phe His Ile Leu Ile Thr Ser Tyr Gln Leu Leu Val Thr 690 695 700	2112
gat gaa aag tat ttt cgc cgg gtg aag tgg caa tat atg gtg cta gat Asp Glu Lys Tyr Phe Arg Arg Val Lys Trp Gln Tyr Met Val Leu Asp 705 710 715 720	2160
gag gcc caa gca atc aag agt tcc tcc agt ata aga tgg aaa acc ctt Glu Ala Gln Ala Ile Lys Ser Ser Ser Ile Arg Trp Lys Thr Leu 725 730 735	2208
ctt agt ttt aac tgt cgg aac cga ttg ctt ctg act ggt act cca att Leu Ser Phe Asn Cys Arg Asn Arg Leu Leu Leu Thr Gly Thr Pro Ile 740 745 750	2256
cag aac aac atg gca gag tta tgg gcc ctg ctg cat ttc atc atg cca Gln Asn Asn Met Ala Glu Leu Trp Ala Leu Leu His Phe Ile Met Pro 755 760 765	2304
atg ttg ttt gac aac cat gat caa ttt aat gaa tgg ttc tca aaa gga Met Leu Phe Asp Asn His Asp Gln Phe Asn Glu Trp Phe Ser Lys Gly 770 775 780	2352
att gag aat cat gct gaa cac gga ggc act tta aat gag cac cag ctt Ile Glu Asn His Ala Glu His Gly Gly Thr Leu Asn Glu His Gln Leu 785 790 795 800	2400
aac aga ctg cat gcg atc ttg aaa ccg ttc atg ctt cga cgg gta aaa Asn Arg Leu His Ala Ile Leu Lys Pro Phe Met Leu Arg Arg Val Lys 805 810 815	2448
aag gat gtg gtt tct gag cta act aca aag acg gaa gtt aca gta cac Lys Asp Val Val Ser Glu Leu Thr Thr Lys Thr Glu Val Thr Val His 820 825 830	2496
tgc aag ctc agt tct cga caa caa gct ttt tat cag gct att aag aac Cys Lys Leu Ser Ser Arg Gln Gln Ala Phe Tyr Gln Ala Ile Lys Asn 835 840 845	2544
aaa att tct ctg gct gag ttg ttt gat agc aac cgc gga caa ttt act Lys Ile Ser Leu Ala Glu Leu Phe Asp Ser Asn Arg Gly Gln Phe Thr 850 855 860	2592
gat aag aaa gta ttg aat tta atg aat att gtc att caa cta agg aag Asp Lys Lys Val Leu Asn Leu Met Asn Ile Val Ile Gln Leu Arg Lys 865 870 875	2640

865	870	875	880	
ggt tgc aac cat cca gag ttg ttc gaa agg aat gaa ggg agc tcg tat	2688			
Val Cys Asn His Pro Glu Leu Phe Glu Arg Asn Glu Gly Ser Ser Tyr				
885	890	895		
ctc tac ttt gga gtg act tcc aat tct ctt ttg ccc cat ccc ttt ggt	2736			
Leu Tyr Phe Gly Val Thr Ser Asn Ser Leu Leu Pro His Pro Phe Gly				
900	905	910		
gag cta gag gat gta cat tat tct ggt ggt caa aat ccg ata ata tac	2784			
Glu Leu Glu Asp Val His Tyr Ser Gly Gly Gln Asn Pro Ile Ile Tyr				
915	920	925		
aag ata cct aag cta cta cac caa gag gtg ctc caa aat tct gaa aca	2832			
Lys Ile Pro Lys Leu Leu His Gln Glu Val Leu Gln Asn Ser Glu Thr				
930	935	940		
ttt tgt tct tct gtc ggg cgt ggc atc tca aga gaa tct ttt ctg aag	2880			
Phe Cys Ser Ser Val Gly Arg Gly Ile Ser Arg Glu Ser Phe Leu Lys				
945	950	955		
cat ttt aat ata tat tca cct gag tat att ctt aag tca ata ttc cca	2928			
His Phe Asn Ile Tyr Ser Pro Glu Tyr Ile Leu Lys Ser Ile Phe Pro				
965	970	975		
tct gat agt ggg gta gat caa gtg gtt agt gga agt gga gca ttt ggc	2976			
Ser Asp Ser Gly Val Asp Gln Val Val Ser Gly Ser Gly Ala Phe Gly				
980	985	990		
ttt tca cgc ttg atg gat cta tca cca tca gaa gtt gga tat ctg gct	3024			
Phe Ser Arg Leu Met Asp Leu Ser Pro Ser Glu Val Gly Tyr Leu Ala				
995	1000	1005		
ctg tgt tct gtt gca gaa agg cta tta ttt tct ata ctg agg tgg	3069			
Leu Cys Ser Val Ala Glu Arg Leu Leu Phe Ser Ile Leu Arg Trp				
1010	1015	1020		
gag cgg caa ttt ttg gat gaa tta gtt aac tct ctt atg gag tcc	3114			
Glu Arg Gln Phe Leu Asp Glu Leu Val Asn Ser Leu Met Glu Ser				
1025	1030	1035		
aag gat ggt gat ctt agt gac aat aac atc gag aga gtt aaa acc	3159			
Lys Asp Gly Asp Leu Ser Asp Asn Asn Ile Glu Arg Val Lys Thr				
1040	1045	1050		
aaa gct gtc aca aga atg ttg ctg atg cca tca aaa gtt gaa acg	3204			
Lys Ala Val Thr Arg Met Leu Leu Met Pro Ser Lys Val Glu Thr				
1055	1060	1065		
aat ttt cag aaa agg aga cta agc aca ggg cct acc cgt cct tca	3249			
Asn Phe Gln Lys Arg Arg Leu Ser Thr Gly Pro Thr Arg Pro Ser				
1070	1075	1080		
ttt gaa gcg cta gtg atc tct cat cag gat agg ttt ctt tca agt	3294			
Phe Glu Ala Leu Val Ile Ser His Gln Asp Arg Phe Leu Ser Ser				
1085	1090	1095		
atc aaa ctc ctg cat tct gca tat act tat atc cca aaa gcc aga	3339			
Ile Lys Leu Leu His Ser Ala Tyr Thr Tyr Ile Pro Lys Ala Arg				
1100	1105	1110		
gct cca cct gta agc att cat tgc tcg gac aga aat tcg gca tac	3384			
Ala Pro Pro Val Ser Ile His Cys Ser Asp Arg Asn Ser Ala Tyr				
1115	1120	1125		

aga Arg	gtt Val 1130	aca Thr	gaa Glu	gaa Glu	tta Leu	cat His 1135	caa Gln	cca Pro	tgg Trp	ctt Leu	aag Lys 1140	aga Arg	cta Leu	tta Leu	3429
atc Ile	ggt Gly 1145	ttt Phe	gca Ala	cga Arg	acg Thr	tca Ser 1150	gaa Glu	gct Ala	aat Asn	gga Gly	ccc Pro 1155	agg Arg	aag Lys	cct Pro	3474
aac Asn	agc Ser 1160	ttt Phe	cca Pro	cat His	cct Pro	tta Leu 1165	atc Ile	caa Gln	gaa Glu	att Ile	gat Asp 1170	tca Ser	gaa Glu	ctt Leu	3519
cca Pro	gtt Val 1175	gtg Val	cag Gln	cct Pro	gcg Ala	ctt Leu 1180	caa Gln	ctg Leu	aca Thr	cac His	aga Arg 1185	ata Ile	ttt Phe	ggt Gly	3564
tct Ser	tgc Cys 1190	cct Pro	cca Pro	atg Met	caa Gln	agt Ser 1195	ttt Phe	gac Asp	cca Pro	gca Ala	aag Lys 1200	ttg Leu	ctc Leu	acg Thr	3609
gac Asp	tct Ser 1205	ggg Gly	aag Lys	ctg Leu	cag Gln	aca Thr 1210	ctt Leu	gat Asp	ata Ile	tta Leu	ttg Leu 1215	aag Lys	cgg Arg	ctt Leu	3654
cga Arg	gct Ala 1220	gga Gly	aat Asn	cac His	agg Arg	gtg Val 1225	ctc Leu	ctg Leu	ttt Phe	gca Ala	caa Gln 1230	atg Met	aca Thr	aag Lys	3699
atg Met	ctg Leu 1235	aac Asn	att Ile	ctc Leu	gag Glu	gat Asp 1240	tat Tyr	atg Met	aac Asn	tat Tyr	aga Arg 1245	aag Lys	tac Tyr	aag Lys	3744
tac Tyr	ctc Leu 1250	agg Arg	ctt Leu	gat Asp	gga Gly	tcc Ser 1255	tcc Ser	acc Thr	atc Ile	atg Met	gat Asp 1260	cgc Arg	cga Arg	gat Asp	3789
atg Met	gtt Val 1265	agg Arg	gat Asp	ttt Phe	cag Gln	cat His 1270	agg Arg	agc Ser	gat Asp	att Ile	ttt Phe 1275	gta Val	ttc Phe	ttg Leu	3834
ctg Leu	agc Ser 1280	acc Thr	aga Arg	gct Ala	gga Gly	gga Gly 1285	ctt Leu	ggt Gly	atc Ile	aac Asn	ttg Leu 1290	acg Thr	gct Ala	gca Ala	3879
gac Asp	act Thr 1295	gtc Val	att Ile	ttc Phe	tat Tyr	gaa Glu 1300	agt Ser	gat Asp	tgg Trp	aat Asn	ccc Pro 1305	acc Thr	ttg Leu	gat Asp	3924
tta Leu	caa Gln 1310	gct Ala	atg Met	gac Asp	agg Arg	gct Ala 1315	cat His	cgt Arg	ctt Leu	gga Gly	cag Gln 1320	aca Thr	aaa Lys	gat Asp	3969
gtt Val	act Thr 1325	gtt Val	tat Tyr	cgt Arg	ctc Leu	atc Ile 1330	tgt Cys	aag Lys	gag Glu	acg Thr	gtg Val 1335	gaa Glu	gag Glu	aaa Lys	4014
att Ile	ttg Leu 1340	cac His	agg Arg	gca Ala	agt Ser	cag Gln 1345	aaa Lys	aat Asn	aca Thr	gtt Val	caa Gln 1350	cag Gln	ctt Leu	gtt Val	4059
atg Met	act Thr 1355	gga Gly	ggg Gly	cat His	gtt Val	cag Gln 1360	ggt Gly	gat Asp	gat Asp	ttt Phe	ctt Leu 1365	gga Gly	gct Ala	gcg Ala	4104
gat Asp	gtg Val	gta Val	tct Ser	ctg Leu	cta Leu	atg Met	gat Asp	gat Asp	gcg Ala	gag Glu	gca Ala	gca Ala	caa Gln	ctg Leu	4149

1370	1375	1380	
gag cag aaa ttc aga gaa cta cca tta cag gta aag gac agg cag Glu Gln Lys Phe Arg Glu Leu Pro Leu Gln Val Lys Asp Arg Gln 1385 1390 1395			4194
aag aaa aag acg aaa cgt atc aga ata gat gct gaa gga gat gca Lys Lys Lys Thr Lys Arg Ile Arg Ile Asp Ala Glu Gly Asp Ala 1400 1405 1410			4239
act ttg gaa gag tta gaa gat gtt gac cga cag gat aac gga cag Thr Leu Glu Glu Leu Glu Asp Val Asp Arg Gln Asp Asn Gly Gln 1415 1420 1425			4284
gaa cct ttg gaa gaa ccg gaa aag cca aaa tcc agt aat aaa aag Glu Pro Leu Glu Glu Pro Glu Lys Pro Lys Ser Ser Asn Lys Lys 1430 1435 1440			4329
agg aga gct gct tca aat ccg aaa gct aga gct cct cag aaa gca Arg Arg Ala Ala Ser Asn Pro Lys Ala Arg Ala Pro Gln Lys Ala 1445 1450 1455			4374
aag gaa gaa gca aat ggt gaa gat act cct cag agg aca aaa agg Lys Glu Glu Ala Asn Gly Glu Asp Thr Pro Gln Arg Thr Lys Arg 1460 1465 1470			4419
gta aag aga caa aca aag agc ata aac gaa agt ctt gaa cct gta Val Lys Arg Gln Thr Lys Ser Ile Asn Glu Ser Leu Glu Pro Val 1475 1480 1485			4464
ttc tct gcc tct gta aca gaa tca aat aaa gga ttc gat cca agt Phe Ser Ala Ser Val Thr Glu Ser Asn Lys Gly Phe Asp Pro Ser 1490 1495 1500			4509
agc tcc gct aac taa Ser Ser Ala Asn 1505			4524

<210> 2

<211> 1507

<212> PRT

<213> Arabidopsis thaliana

<400> 2

Met Asp Pro Ser Arg Arg Pro Pro Lys Asp Ser Pro Tyr Ala Asn Leu
1 5 10 15

Phe Asp Leu Glu Pro Leu Met Lys Phe Arg Ile Pro Lys Pro Glu Asp
20 25 30

Glu Val Asp Tyr Tyr Gly Ser Ser Ser Gln Asp Glu Ser Arg Ser Thr
35 40 45

Gln Gly Gly Val Val Ala Asn Tyr Ser Asn Gly Ser Lys Ser Arg Met
50 55 60

Asn Ala Ser Ser Lys Lys Arg Lys Arg Trp Thr Glu Ala Glu Asp Ala
 65 70 75 80
 Glu Asp Asp Asp Asp Leu Tyr Asn Gln His Val Thr Glu Glu His Tyr
 85 90 95
 Arg Ser Met Leu Gly Glu His Val Gln Lys Phe Lys Asn Arg Ser Lys
 100 105 110
 Glu Thr Gln Gly Asn Pro Pro His Leu Met Gly Phe Pro Val Leu Lys
 115 120 125
 Ser Asn Val Gly Ser Tyr Arg Gly Arg Lys Pro Gly Asn Asp Tyr His
 130 135 140
 Gly Arg Phe Tyr Asp Met Asp Asn Ser Pro Asn Phe Ala Ala Asp Val
 145 150 155 160
 Thr Pro His Arg Arg Gly Ser Tyr His Asp Arg Asp Ile Thr Pro Lys
 165 170 175
 Ile Ala Tyr Glu Pro Ser Tyr Leu Asp Ile Gly Asp Gly Val Ile Tyr
 180 185 190
 Lys Ile Pro Pro Ser Tyr Asp Lys Leu Val Ala Ser Leu Asn Leu Pro
 195 200 205
 Ser Phe Ser Asp Ile His Val Glu Glu Phe Tyr Leu Lys Gly Thr Leu
 210 215 220
 Asp Leu Arg Ser Leu Ala Glu Leu Met Ala Ser Asp Lys Arg Ser Gly
 225 230 235 240
 Val Arg Ser Arg Asn Gly Met Gly Glu Pro Arg Pro Gln Tyr Glu Ser
 245 250 255
 Leu Gln Ala Arg Met Lys Ala Leu Ser Pro Ser Asn Ser Thr Pro Asn
 260 265 270
 Phe Ser Leu Lys Val Ser Glu Ala Ala Met Asn Ser Ala Ile Pro Glu
 275 280 285
 Gly Ser Ala Gly Ser Thr Ala Arg Thr Ile Leu Ser Glu Gly Gly Val
 290 295 300
 Leu Gln Val His Tyr Val Lys Ile Leu Glu Lys Gly Asp Thr Tyr Glu
 305 310 315 320
 Ile Val Lys Arg Ser Leu Pro Lys Lys Leu Lys Ala Lys Asn Asp Pro

325	330	335
Ala Val Ile Glu Lys Thr Glu Arg Asp Lys Ile Arg Lys Ala Trp Ile 340 345 350		
Asn Ile Val Arg Arg Asp Ile Ala Lys His His Arg Ile Phe Thr Thr 355 360 365		
Phe His Arg Lys Leu Ser Ile Asp Ala Lys Arg Phe Ala Asp Gly Cys 370 375 380		
Gln Arg Glu Val Arg Met Lys Val Gly Arg Ser Tyr Lys Ile Pro Arg 385 390 395 400		
Thr Ala Pro Ile Arg Thr Arg Lys Ile Ser Arg Asp Met Leu Leu Phe 405 410 415		
Trp Lys Arg Tyr Asp Lys Gln Met Ala Glu Glu Arg Lys Lys Gln Glu 420 425 430		
Lys Glu Ala Ala Glu Ala Phe Lys Arg Glu Gln Glu Gln Arg Glu Ser 435 440 445		
Lys Arg Gln Gln Gln Arg Leu Asn Phe Leu Ile Lys Gln Thr Glu Leu 450 455 460		
Tyr Ser His Phe Met Gln Asn Lys Thr Asp Ser Asn Pro Ser Glu Ala 465 470 475 480		
Leu Pro Ile Gly Asp Glu Asn Pro Ile Asp Glu Val Leu Pro Glu Thr 485 490 495		
Ser Ala Ala Glu Pro Ser Glu Val Glu Asp Pro Glu Glu Ala Glu Leu 500 505 510		
Lys Glu Lys Val Leu Arg Ala Ala Gln Asp Ala Val Ser Lys Gln Lys 515 520 525		
Gln Ile Thr Asp Ala Phe Asp Thr Glu Tyr Met Lys Leu Arg Gln Thr 530 535 540		
Ser Glu Met Glu Gly Pro Leu Asn Asp Ile Ser Val Ser Gly Ser Ser 545 550 555 560		
Asn Ile Asp Leu His Asn Pro Ser Thr Met Pro Val Thr Ser Thr Val 565 570 575		
Gln Thr Pro Glu Leu Phe Lys Gly Thr Leu Lys Glu Tyr Gln Met Lys 580 585 590		

Gly Leu Gln Trp Leu Val Asn Cys Tyr Glu Gln Gly Leu Asn Gly Ile
 595 600 605
 Leu Ala Asp Glu Met Gly Leu Gly Lys Thr Ile Gln Ala Met Ala Phe
 610 615 620
 Leu Ala His Leu Ala Glu Glu Lys Asn Ile Trp Gly Pro Phe Leu Val
 625 630 635 640
 Val Ala Pro Ala Ser Val Leu Asn Asn Trp Ala Asp Glu Ile Ser Arg
 645 650 655
 Phe Cys Pro Asp Leu Lys Thr Leu Pro Tyr Trp Gly Gly Leu Gln Glu
 660 665 670
 Arg Thr Ile Leu Arg Lys Asn Ile Asn Pro Lys Arg Met Tyr Arg Arg
 675 680 685
 Asp Ala Gly Phe His Ile Leu Ile Thr Ser Tyr Gln Leu Leu Val Thr
 690 695 700
 Asp Glu Lys Tyr Phe Arg Arg Val Lys Trp Gln Tyr Met Val Leu Asp
 705 710 715 720
 Glu Ala Gln Ala Ile Lys Ser Ser Ser Ser Ile Arg Trp Lys Thr Leu
 725 730 735
 Leu Ser Phe Asn Cys Arg Asn Arg Leu Leu Leu Thr Gly Thr Pro Ile
 740 745 750
 Gln Asn Asn Met Ala Glu Leu Trp Ala Leu Leu His Phe Ile Met Pro
 755 760 765
 Met Leu Phe Asp Asn His Asp Gln Phe Asn Glu Trp Phe Ser Lys Gly
 770 775 780
 Ile Glu Asn His Ala Glu His Gly Gly Thr Leu Asn Glu His Gln Leu
 785 790 795 800
 Asn Arg Leu His Ala Ile Leu Lys Pro Phe Met Leu Arg Arg Val Lys
 805 810 815
 Lys Asp Val Val Ser Glu Leu Thr Thr Lys Thr Glu Val Thr Val His
 820 825 830
 Cys Lys Leu Ser Ser Arg Gln Gln Ala Phe Tyr Gln Ala Ile Lys Asn
 835 840 845
 Lys Ile Ser Leu Ala Glu Leu Phe Asp Ser Asn Arg Gly Gln Phe Thr

850 855 860
 Asp Lys Lys Val Leu Asn Leu Met Asn Ile Val Ile Gln Leu Arg Lys
 865 870 875 880
 Val Cys Asn His Pro Glu Leu Phe Glu Arg Asn Glu Gly Ser Ser Tyr
 885 890 895
 Leu Tyr Phe Gly Val Thr Ser Asn Ser Leu Leu Pro His Pro Phe Gly
 900 905 910
 Glu Leu Glu Asp Val His Tyr Ser Gly Gly Gln Asn Pro Ile Ile Tyr
 915 920 925
 Lys Ile Pro Lys Leu Leu His Gln Glu Val Leu Gln Asn Ser Glu Thr
 930 935 940
 Phe Cys Ser Ser Val Gly Arg Gly Ile Ser Arg Glu Ser Phe Leu Lys
 945 950 955 960
 His Phe Asn Ile Tyr Ser Pro Glu Tyr Ile Leu Lys Ser Ile Phe Pro
 965 970 975
 Ser Asp Ser Gly Val Asp Gln Val Val Ser Gly Ser Gly Ala Phe Gly
 980 985 990
 Phe Ser Arg Leu Met Asp Leu Ser Pro Ser Glu Val Gly Tyr Leu Ala
 995 1000 1005
 Leu Cys Ser Val Ala Glu Arg Leu Leu Phe Ser Ile Leu Arg Trp
 1010 1015 1020
 Glu Arg Gln Phe Leu Asp Glu Leu Val Asn Ser Leu Met Glu Ser
 1025 1030 1035
 Lys Asp Gly Asp Leu Ser Asp Asn Asn Ile Glu Arg Val Lys Thr
 1040 1045 1050
 Lys Ala Val Thr Arg Met Leu Leu Met Pro Ser Lys Val Glu Thr
 1055 1060 1065
 Asn Phe Gln Lys Arg Arg Leu Ser Thr Gly Pro Thr Arg Pro Ser
 1070 1075 1080
 Phe Glu Ala Leu Val Ile Ser His Gln Asp Arg Phe Leu Ser Ser
 1085 1090 1095
 Ile Lys Leu Leu His Ser Ala Tyr Thr Tyr Ile Pro Lys Ala Arg
 1100 1105 1110

Ala Pro Pro Val Ser Ile His Cys Ser Asp Arg Asn Ser Ala Tyr
 1115 1120 1125
 Arg Val Thr Glu Glu Leu His Gln Pro Trp Leu Lys Arg Leu Leu
 1130 1135 1140
 Ile Gly Phe Ala Arg Thr Ser Glu Ala Asn Gly Pro Arg Lys Pro
 1145 1150 1155
 Asn Ser Phe Pro His Pro Leu Ile Gln Glu Ile Asp Ser Glu Leu
 1160 1165 1170
 Pro Val Val Gln Pro Ala Leu Gln Leu Thr His Arg Ile Phe Gly
 1175 1180 1185
 Ser Cys Pro Pro Met Gln Ser Phe Asp Pro Ala Lys Leu Leu Thr
 1190 1195 1200
 Asp Ser Gly Lys Leu Gln Thr Leu Asp Ile Leu Leu Lys Arg Leu
 1205 1210 1215
 Arg Ala Gly Asn His Arg Val Leu Leu Phe Ala Gln Met Thr Lys
 1220 1225 1230
 Met Leu Asn Ile Leu Glu Asp Tyr Met Asn Tyr Arg Lys Tyr Lys
 1235 1240 1245
 Tyr Leu Arg Leu Asp Gly Ser Ser Thr Ile Met Asp Arg Arg Asp
 1250 1255 1260
 Met Val Arg Asp Phe Gln His Arg Ser Asp Ile Phe Val Phe Leu
 1265 1270 1275
 Leu Ser Thr Arg Ala Gly Gly Leu Gly Ile Asn Leu Thr Ala Ala
 1280 1285 1290
 Asp Thr Val Ile Phe Tyr Glu Ser Asp Trp Asn Pro Thr Leu Asp
 1295 1300 1305
 Leu Gln Ala Met Asp Arg Ala His Arg Leu Gly Gln Thr Lys Asp
 1310 1315 1320
 Val Thr Val Tyr Arg Leu Ile Cys Lys Glu Thr Val Glu Glu Lys
 1325 1330 1335
 Ile Leu His Arg Ala Ser Gln Lys Asn Thr Val Gln Gln Leu Val
 1340 1345 1350
 Met Thr Gly Gly His Val Gln Gly Asp Asp Phe Leu Gly Ala Ala

1355 1360 1365
 Asp Val Val Ser Leu Leu Met Asp Asp Ala Glu Ala Ala Gln Leu
 1370 1375 1380
 Glu Gln Lys Phe Arg Glu Leu Pro Leu Gln Val Lys Asp Arg Gln
 1385 1390 1395
 Lys Lys Lys Thr Lys Arg Ile Arg Ile Asp Ala Glu Gly Asp Ala
 1400 1405 1410
 Thr Leu Glu Glu Leu Glu Asp Val Asp Arg Gln Asp Asn Gly Gln
 1415 1420 1425
 Glu Pro Leu Glu Glu Pro Glu Lys Pro Lys Ser Ser Asn Lys Lys
 1430 1435 1440
 Arg Arg Ala Ala Ser Asn Pro Lys Ala Arg Ala Pro Gln Lys Ala
 1445 1450 1455
 Lys Glu Glu Ala Asn Gly Glu Asp Thr Pro Gln Arg Thr Lys Arg
 1460 1465 1470
 Val Lys Arg Gln Thr Lys Ser Ile Asn Glu Ser Leu Glu Pro Val
 1475 1480 1485
 Phe Ser Ala Ser Val Thr Glu Ser Asn Lys Gly Phe Asp Pro Ser
 1490 1495 1500
 Ser Ser Ala Asn
 1505

<210> 3

<211> 4492

<212> DNA

<213> *Arabidopsis thaliana*

<400> 3

```

atggatcctt caagacgacc accgaaggac tctccttacg cgaatctatt cgatctcgag    60
ccgttgatga agtttagaat tccgaaacct gaagatgaag ttgattatta tgggagtagt    120
agccaggatg aaagtagaag cactcaaggt ggggtagtgg caaactacag caatgggtct    180
aatcgagaa tgaatgagc ctccaagaag agaaagcggg ggacagaagc tgaggatgca    240
gaggacgatg atgatctcta caatcaacat gttactgagg agcactaccg atcaatgctt    300
ggggagcatg tacaaaaatt caaaaatagg tccaaggaga ctcaagggaa tcctcctcat    360

```

ctgatgggtt	ttccggtgct	aaagagcaat	gtgggcagtt	acagaggtag	gaaaccaggg	420
aatgattacc	atgggaggtt	ctatgacatg	gacaactctc	caaattttgc	agctgatgtg	480
acccacata	ggcgaaggaag	ctaccatgat	cgtgatatta	cacccaagat	agcatatgaa	540
ccttcgtatt	tggacattgg	tgatggtgtc	atctacaaaa	tcccccaag	ttatgacaag	600
ctggtggcat	cattaaactt	accgagcttt	tcagacattc	atgtggaaga	attttacttg	660
aaaggaactc	tggatctgag	atcattagca	gaactgatgg	caagtataa	aaggctctga	720
gtaagaagcc	gtaatggaat	gggtgagcct	cgacctcaat	atgaatctct	tcaagctaga	780
atgaaggccc	tgtcaccttc	aaactccacc	ccaaatttta	gcctcaaggt	gtcagaagct	840
gcaatgaatt	ctgccattcc	agaaggatct	gctggaagta	ctgcacggac	aattctgtct	900
gagggtggtg	ttttacaggt	ccattacgtg	aagattctgg	agaaggggga	tacatacgag	960
attgttaaac	gaagtctacc	gaagaagctg	aaagcaaaga	atgatcctgc	agtcattgag	1020
aaaacagaaa	gggataaaat	tagaaaagcc	tggatcaata	ttgtcagaag	agatatagca	1080
aaacaccata	gaattttcac	tacttttcat	cgtaaaactat	caattgatgc	caagagggtt	1140
gcagatgggt	gccaaagaga	ggtgagaatg	aagggtgggt	gatcatacaa	aatccaaga	1200
actgcaccaa	ttcgactag	gaagatatcc	agagacatgc	tgctattctg	gaagcgatat	1260
gacaagcaga	tggcagaaga	gaggaaaaag	caagaaaagg	aagctgcaga	ggcttttaaa	1320
cgtgaacagg	agcagcgaga	gtcaaaaagg	cagcaacaaa	ggctcaattt	ccttattaaa	1380
cagactgagc	tttacagtca	cttcagtcaa	aacaagaccg	attcgaatcc	ttccgaagcc	1440
ttaccaatag	gtgatgaaaa	tccgattgac	gaagtgtctc	cagaaacttc	agcggcagaa	1500
ccttctgagg	tagaggatcc	tgaagaggct	gaactgaagg	aaaaggctct	gagagctgcc	1560
caagatgcgg	tgtctaagca	gaagcaaata	acagatgcat	ttgacactga	atatatgaag	1620
ctacgccaaa	cttctgaaat	ggaaggctct	ttaaatgata	tatcagtttc	tggctcgagc	1680
aatatagatt	tgcataaccc	atctacaatg	cctgttacat	caacagttca	gactccagag	1740
ttatttaaa	gaacccttaa	agaataccaa	atgaaaggcc	ttcagtggtc	agtcaattgt	1800
tatgagcagg	gtttgaatgg	catacttgct	gatgaaatgg	gcttgggtta	gactattcaa	1860
gctatggcgt	tcttggcaca	tttggctgag	gaaaagaaca	tttgggtccc	atttcttggt	1920
gttgcccctg	cctctgttct	taacaattgg	gctgatgaaa	tcagtcgttt	ctgtcctgac	1980
ttgaaaactc	ttccatattg	gggaggatta	caagaacgaa	caattttaag	aaagaatatc	2040
aatccaagc	gtatgtaccg	aagggatgct	ggctttcata	ttttgattac	tagctatcag	2100
ctattagtca	ctgatgaaaa	gtattttcgc	cgggtgaagt	ggcaatatat	ggtgctagat	2160
gaggcccaag	caatcaagag	ttcctccagt	ataagatgga	aaacccttct	tagttttaac	2220
tgtcggaaac	gattgcttct	gactggtact	ccaattcaga	acaacatggc	agagttatgg	2280
gccctgctgc	atttcatcat	gccaatgttg	tttgacaacc	atgatcaatt	taatgaatgg	2340

ttctcaaaag gaattgagaa tcatgctgaa cacggaggca ctttaaata gaaccagctt	2400
aacagactgc atgcgatctt gaaaccgttc atgcttcgac gggtaaaaaa ggatgtggtt	2460
tctgagctaa ctacaaagac ggaagttaca gtacactgca agctcagttc tcgacaacaa	2520
gctttttatc aggctattaa gaacaaaatt tctctggctg agttgtttga tagcaaccgc	2580
ggacaattta ctgataagaa agtattgaat ttaatgaata ttgtcattca actaaggaag	2640
gtttgcaacc atccagagtt gttcgaaagg aatgaaggga gctcgtatct ctactttgga	2700
gtgacttcca attctctttt gccccatccc tttggtgagc tagaggatgt acattattct	2760
ggtggtcaaa atccgataat atacaagata cctaagctac tacaccaaga ggtgctccaa	2820
aattctgaaa cattttgttc ttctgtcggg cgtggcatct caagagaatc ttttctgaag	2880
cattttaata tatattcacc tgagtattt ctttaagtca tattcccatc tgatagtggg	2940
gtagatcaag tggttagtgg aagtggagca tttggctttt cacgcttgat ggatctatca	3000
ccatcagaag ttggatatct ggctctgtgt tctgttgagc aaaggctatt attttctata	3060
ctgaggtggg agcggcaatt tttggatgaa ttagttaact ctcttatgga gtccaaggat	3120
ggtgatctta gtgacaataa catcgagaga gttaaaacca aagctgtcac aagaatgttg	3180
ctgatgccat caaaagttga aacgaatttt cagaaaagga gactaagcac agggcctacc	3240
cgctcttcat ttgaagcgct agtgatctct catcaggata ggtttctttc aagtatcaaa	3300
ctcctgcatt ctgcatatac ttatatccca aaagccagag ctccacctgt aagcattcat	3360
tgctcggaca gaaattcggc atacagagtt acagaagaat tacatcaacc atggcttaag	3420
agactattaa tcggttttgc acgaacgtca gaagctaag gaccaggaa gcctaacagc	3480
ttccacatc ctttaatcca agaaattgat tcagaacttc cagttgtgca gcctgcgctt	3540
caactgacac acagaatatt tggttcttgc cctccaatgc aaagttttga cccagcaag	3600
ttgctcacgg actctgggaa gctgcagaca cttgatatat tattgaagcg gcttcgagct	3660
ggaaatcaca gggtgctcct gtttgcacaa atgacaaaga tgctgaacat tctcgaggat	3720
tatatgaact atagaaagta caagtacctc aggccttgat gatcctccac catcatggat	3780
cgccgagata tggttagggg ttttcagcat aggagcgata tttttgtatt cttgctgagc	3840
accagagctg gaggacttgg tatcaacttg acggctgcag aactgtcat tttctatgaa	3900
agtgattgga atcccacctt ggatttaca gctatggaca gggctcatcg tcttgacag	3960
acaaaagatg gagacggtgg aagagaaaat tttgcacagg gcaagtcaga aaaatacagt	4020
tcaacagctt gttatgactg gagggcatgt tcagggtgat gattttcttg gagctgcgga	4080
tgtggtatct ctgctaattg atgatgcgga ggcagcacia ctggagcaga aattcagaga	4140
actaccatta caggacaggc agaagaaaaa gacgaaacgt atcagaatag atgctgaagg	4200
agatgcaact ttggaagagt tagaagatgt tgaccgacag gataacggac aggaaccttt	4260
ggaagaaccg gaaaagccaa aatccagtaa taaaaagagg agagctgctt caaatccgaa	4320

agctagagct cctcagaaag caaaggaaga agcaaattggt gaagatactc ctcagaggac 4380
 aaaaagggtta aagagacaaa caaagagcat aaacgaaagt cttgaacctg tattctctgc 4440
 ctctgtaaca gaatcaaata aaggattcga tccaagtagc tccgctaact aa 4492

<210> 4

<211> 1377

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1377)

<223>

<400> 4

atg gag aaa gta aag att gaa gaa att cag tcc acc gct aag aaa caa	48
Met Glu Lys Val Lys Ile Glu Glu Ile Gln Ser Thr Ala Lys Lys Gln	
1 5 10 15	
cgg att gct act cac acc cat atc aaa ggc ctt ggc ctc gag cca act	96
Arg Ile Ala Thr His Thr His Ile Lys Gly Leu Gly Leu Glu Pro Thr	
20 25 30	
ggt atc cct ata aaa ttg gca gct gga ttt gtt ggt caa ctt gag gct	144
Gly Ile Pro Ile Lys Leu Ala Ala Gly Phe Val Gly Gln Leu Glu Ala	
35 40 45	
aga gag gca gct ggt ctt gta gtt gac atg att aag cag aag aaa atg	192
Arg Glu Ala Ala Gly Leu Val Val Asp Met Ile Lys Gln Lys Lys Met	
50 55 60	
gcg ggc aag gct ctt ttg ctt gct gga cct cct gga act ggg aaa aca	240
Ala Gly Lys Ala Leu Leu Leu Ala Gly Pro Pro Gly Thr Gly Lys Thr	
65 70 75 80	
gct ttg gct ctt gga atc tct caa gag ctg gga agc aag gtt cca ttc	288
Ala Leu Ala Leu Gly Ile Ser Gln Glu Leu Gly Ser Lys Val Pro Phe	
85 90 95	
tgt cca atg gtt gga tct gag gtt tac tca tca gag gtt aag aaa aca	336
Cys Pro Met Val Gly Ser Glu Val Tyr Ser Ser Glu Val Lys Lys Thr	
100 105 110	
gag gtt ctc atg gag aat ttt aga cgt gcc att ggt cta cgt atc aag	384
Glu Val Leu Met Glu Asn Phe Arg Arg Ala Ile Gly Leu Arg Ile Lys	
115 120 125	
gaa acc aaa gaa gtc tat gaa ggg gag gtc acc gag ctg tca cca gaa	432
Glu Thr Lys Glu Val Tyr Glu Gly Glu Val Thr Glu Leu Ser Pro Glu	
130 135 140	
gaa act gaa agc ctc act gga ggt tat ggt aaa agc atc agc cat gtt	480
Glu Thr Glu Ser Leu Thr Gly Gly Tyr Gly Lys Ser Ile Ser His Val	

145					150					155					160	
gta	att	aca	ctc	aag	aca	gtc	aaa	gga	acc	aaa	cat	ctg	aaa	ttg	gat	528
Val	Ile	Thr	Leu	Lys	Thr	Val	Lys	Gly	Thr	Lys	His	Leu	Lys	Leu	Asp	
				165					170					175		
ccc	act	atc	tat	gat	gcc	ttg	att	aag	gaa	aag	gta	gct	gta	gga	gat	576
Pro	Thr	Ile	Tyr	Asp	Ala	Leu	Ile	Lys	Glu	Lys	Val	Ala	Val	Gly	Asp	
			180					185					190			
gta	atc	tat	atc	gaa	gca	aac	agt	gga	gct	gtc	aaa	cgg	gta	ggt	aga	624
Val	Ile	Tyr	Ile	Glu	Ala	Asn	Ser	Gly	Ala	Val	Lys	Arg	Val	Gly	Arg	
		195					200					205				
agt	gat	gct	ttt	gcc	act	gaa	ttt	gat	ctg	gaa	gca	gaa	gaa	tat	gtt	672
Ser	Asp	Ala	Phe	Ala	Thr	Glu	Phe	Asp	Leu	Glu	Ala	Glu	Glu	Tyr	Val	
	210					215					220					
cca	ctt	ccc	aaa	gga	gag	gtc	cac	aaa	aag	aaa	gag	ata	gtg	cag	gat	720
Pro	Leu	Pro	Lys	Gly	Glu	Val	His	Lys	Lys	Lys	Glu	Ile	Val	Gln	Asp	
	225				230				235					240		
gtc	aca	ctc	caa	gat	ctg	gat	gca	gca	aat	gct	cga	cct	caa	ggt	ggc	768
Val	Thr	Leu	Gln	Asp	Leu	Asp	Ala	Ala	Asn	Ala	Arg	Pro	Gln	Gly	Gly	
				245					250					255		
cag	gat	ata	ctt	tct	ttg	atg	ggc	caa	atg	atg	aaa	ccg	cgg	aag	act	816
Gln	Asp	Ile	Leu	Ser	Leu	Met	Gly	Gln	Met	Met	Lys	Pro	Arg	Lys	Thr	
			260				265					270				
gag	atc	act	gat	aag	ctt	cgg	caa	gaa	att	aac	aag	gtt	gtg	aac	cga	864
Glu	Ile	Thr	Asp	Lys	Leu	Arg	Gln	Glu	Ile	Asn	Lys	Val	Val	Asn	Arg	
		275					280					285				
tat	ata	gat	gaa	ggt	gtg	gca	gag	ctt	gtt	cca	gga	gtt	cta	ttt	att	912
Tyr	Ile	Asp	Glu	Gly	Val	Ala	Glu	Leu	Val	Pro	Gly	Val	Leu	Phe	Ile	
	290					295				300						
gat	gag	gtt	cat	atg	ctt	gat	atg	gag	tgc	ttc	tca	tac	ttg	aac	cgt	960
Asp	Glu	Val	His	Met	Leu	Asp	Met	Glu	Cys	Phe	Ser	Tyr	Leu	Asn	Arg	
	305				310				315					320		
gct	ctt	gag	agc	tca	tta	tct	ccg	ata	gtg	ata	ttt	gca	aca	aat	aga	1008
Ala	Leu	Glu	Ser	Ser	Leu	Ser	Pro	Ile	Val	Ile	Phe	Ala	Thr	Asn	Arg	
				325				330						335		
ggt	gtt	tgc	aac	gta	aga	ggg	act	gat	atg	ccc	agc	ccc	cat	gga	gtc	1056
Gly	Val	Cys	Asn	Val	Arg	Gly	Thr	Asp	Met	Pro	Ser	Pro	His	Gly	Val	
			340					345					350			
cct	att	gat	cta	tta	gat	cga	ttg	gtt	atc	atc	cgg	act	caa	atc	tat	1104
Pro	Ile	Asp	Leu	Leu	Asp	Arg	Leu	Val	Ile	Ile	Arg	Thr	Gln	Ile	Tyr	
		355					360					365				
gat	ccc	tct	gaa	atg	atc	cag	att	ata	gcc	att	cgt	gcg	caa	gtt	gaa	1152
Asp	Pro	Ser	Glu	Met	Ile	Gln	Ile	Ile	Ala	Ile	Arg	Ala	Gln	Val	Glu	
	370					375					380					
gaa	tta	acc	gtg	gat	gaa	gaa	tgc	ttg	gtt	cta	ctt	ggg	gag	att	ggg	1200
Glu	Leu	Thr	Val	Asp	Glu	Glu	Cys	Leu	Val	Leu	Leu	Gly	Glu	Ile	Gly	
	385				390					395					400	
caa	aga	act	tca	cta	agg	cac	gct	gtg	cag	ctt	ctg	tct	cct	gcc	agc	1248
Gln	Arg	Thr	Ser	Leu	Arg	His	Ala	Val	Gln	Leu	Leu	Ser	Pro	Ala	Ser	
				405					410					415		

gag gaa gta aca tca ctc tac ttg gat gct aaa tct tca gca aag ctt 1344
Glu Glu Val Thr Ser Leu Tyr Leu Asp Ala Lys Ser Ser Ala Lys Leu
435 440 445

ttg cat gag caa caa gaa aaa tac atc tca tga 1377
Leu His Glu Gln Gln Glu Lys Tyr Ile Ser
450 455

<213> Arabidopsis thaliana

Met Glu Lys Val Lys Ile Glu Glu Ile Gln Ser Thr Ala Lys Lys Gln
1 5 10 15

Arg Ile Ala Thr His Thr His Ile Lys Gly Leu Gly Leu Glu Pro Thr
20 25 30

Gly Ile Pro Ile Lys Leu Ala Ala Gly Phe Val Gly Gln Leu Glu Ala
35 40 45

Arg Glu Ala Ala Gly Leu Val Val Asp Met Ile Lys Gln Lys Lys Met
50 55 60

Ala Gly Lys Ala Leu Leu Ala Gly Pro Pro Gly Thr Gly Lys Thr
65 70 75 80

Ala Leu Ala Leu Gly Ile Ser Gln Glu Leu Gly Ser Lys Val Pro Phe
85 90 95

Cys Pro Met Val Gly Ser Glu Val Tyr Ser Ser Glu Val Lys Lys Thr
100 105 110

Glu Val Leu Met Glu Asn Phe Arg Arg Ala Ile Gly Leu Arg Ile Lys
115 120 125

Glu Thr Lys Glu Val Tyr Glu Gly Glu Val Thr Glu Leu Ser Pro Glu
130 135 140

Glu Thr Glu Ser Leu Thr Gly Gly Tyr Gly Lys Ser Ile Ser His Val
145 150 155 160

Val Ile Thr Leu Lys Thr Val Lys Gly Thr Lys His Leu Lys Leu Asp

165 170 175
 Pro Thr Ile Tyr Asp Ala Leu Ile Lys Glu Lys Val Ala Val Gly Asp
 180 185 190
 Val Ile Tyr Ile Glu Ala Asn Ser Gly Ala Val Lys Arg Val Gly Arg
 195 200 205
 Ser Asp Ala Phe Ala Thr Glu Phe Asp Leu Glu Ala Glu Glu Tyr Val
 210 215 220
 Pro Leu Pro Lys Gly Glu Val His Lys Lys Lys Glu Ile Val Gln Asp
 225 230 235 240
 Val Thr Leu Gln Asp Leu Asp Ala Ala Asn Ala Arg Pro Gln Gly Gly
 245 250 255
 Gln Asp Ile Leu Ser Leu Met Gly Gln Met Met Lys Pro Arg Lys Thr
 260 265 270
 Glu Ile Thr Asp Lys Leu Arg Gln Glu Ile Asn Lys Val Val Asn Arg
 275 280 285
 Tyr Ile Asp Glu Gly Val Ala Glu Leu Val Pro Gly Val Leu Phe Ile
 290 295 300
 Asp Glu Val His Met Leu Asp Met Glu Cys Phe Ser Tyr Leu Asn Arg
 305 310 315 320
 Ala Leu Glu Ser Ser Leu Ser Pro Ile Val Ile Phe Ala Thr Asn Arg
 325 330 335
 Gly Val Cys Asn Val Arg Gly Thr Asp Met Pro Ser Pro His Gly Val
 340 345 350
 Pro Ile Asp Leu Leu Asp Arg Leu Val Ile Ile Arg Thr Gln Ile Tyr
 355 360 365
 Asp Pro Ser Glu Met Ile Gln Ile Ile Ala Ile Arg Ala Gln Val Glu
 370 375 380
 Glu Leu Thr Val Asp Glu Glu Cys Leu Val Leu Leu Gly Glu Ile Gly
 385 390 395 400
 Gln Arg Thr Ser Leu Arg His Ala Val Gln Leu Leu Ser Pro Ala Ser
 405 410 415
 Ile Val Ala Lys Met Asn Gly Arg Asp Asn Ile Cys Lys Ala Asp Ile
 420 425 430

Glu Glu Val Thr Ser Leu Tyr Leu Asp Ala Lys Ser Ser Ala Lys Leu
 435 440 445

Leu His Glu Gln Gln Glu Lys Tyr Ile Ser
 450 455

<210> 6

<211> 1584

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1410)

<223>

<400> 6
 atg gcg gaa cta aag cta tca gag agt cgg gac tta acc aga gtc gag 48
 Met Ala Glu Leu Lys Leu Ser Glu Ser Arg Asp Leu Thr Arg Val Glu
 1 5 10 15
 cga atc ggc gca cac tca cac atc aga gga cta ggt ctc gac tct gcc 96
 Arg Ile Gly Ala His Ser His Ile Arg Gly Leu Gly Leu Asp Ser Ala
 20 25 30
 ctc gag ccg cga gct gtt tcc gaa ggt atg gtc ggt caa gtg aag gcg 144
 Leu Glu Pro Arg Ala Val Ser Glu Gly Met Val Gly Gln Val Lys Ala
 35 40 45
 cgt aaa gcc gcc ggt gta atc ctt cag atg att aga gaa ggg aaa atc 192
 Arg Lys Ala Ala Gly Val Ile Leu Gln Met Ile Arg Glu Gly Lys Ile
 50 55 60
 gcg ggt cgg gct att cta ata gcg ggt caa ccc gga acg ggt aag aca 240
 Ala Gly Arg Ala Ile Leu Ile Ala Gly Gln Pro Gly Thr Gly Lys Thr
 65 70 75 80
 gcg att gca atg ggt atg gcg aaa tct ctt ggc ttg gaa act cct ttt 288
 Ala Ile Ala Met Gly Met Ala Lys Ser Leu Gly Leu Glu Thr Pro Phe
 85 90 95
 gcg atg att gca gga agt gaa att ttc tca tta gag atg tca aag aca 336
 Ala Met Ile Ala Gly Ser Glu Ile Phe Ser Leu Glu Met Ser Lys Thr
 100 105 110
 gaa gct ttg act cag tct ttt cgt aaa gcg att ggt gtt agg atc aaa 384
 Glu Ala Leu Thr Gln Ser Phe Arg Lys Ala Ile Gly Val Arg Ile Lys
 115 120 125
 gaa gag aca gag gtt att gaa gga gaa gtt gtt gag gtt cag att gat 432
 Glu Glu Thr Glu Val Ile Glu Gly Glu Val Val Glu Val Gln Ile Asp
 130 135 140

agg Arg 145	cct Pro	gct Ala	tct Ser	tct Ser	ggt Gly 150	gtt Val	gct Ala	tcc Ser	aag Lys	tca Ser 155	ggg Gly	aag Lys	atg Met	act Thr	atg Met 160	480
aaa Lys	acg Thr	act Thr	gat Asp	atg Met 165	gaa Glu	act Thr	gtg Val	tat Tyr	gat Asp 170	atg Met	gga Gly	gct Ala	aag Lys	atg Met 175	att Ile	528
gag Glu	gct Ala	ttg Leu	aac Asn 180	aag Lys	gag Glu	aaa Lys	gtg Val	cag Gln 185	agt Ser	ggt Gly	gat Asp	gtt Val	att Ile 190	gcc Ala	att Ile	576
gat Asp	aaa Lys	gct Ala 195	act Thr	ggg Gly	aag Lys	att Ile	act Thr 200	aag Lys	ctt Leu	gga Gly	aga Arg	tcg Ser 205	ttt Phe	tcg Ser	agg Arg	624
tct Ser 210	cgt Arg	gat Asp	tat Tyr	gat Asp	gct Ala	atg Met 215	ggt Gly	gcg Ala	cag Gln	acc Thr	aag Lys 220	ttt Phe	gtg Val	cag Gln	tgc Cys	672
cct Pro 225	gaa Glu	ggt Gly	gag Glu	ttg Leu	cag Gln 230	aag Lys	agg Arg	aaa Lys	gag Glu	gtt Val 235	gta Val	cat His	tgt Cys	gtc Val	act Thr 240	720
ctt Leu	cac His	gag Glu	att Ile	gat Asp 245	gtt Val	atc Ile	aac Asn	agc Ser	agg Arg 250	aca Thr	caa Gln	ggg Gly	ttt Phe 255	ctt Leu 255	gcc Ala	768
ctt Leu	ttc Phe	act Thr	ggc Gly 260	gat Asp	act Thr	gga Gly	gaa Glu	atc Ile 265	cga Arg	tca Ser	gaa Glu	gtc Val	cgg Arg 270	gaa Glu	caa Gln	816
att Ile	gat Asp	aca Thr 275	aaa Lys	gta Val	gct Ala	gaa Glu	tgg Trp 280	aga Arg	gaa Glu	gaa Glu	gga Gly	aaa Lys 285	gca Ala	gag Glu	ata Ile	864
gtt Val 290	ccc Pro	gga Gly	gtt Val	ctc Leu	ttc Phe	att Ile 295	gat Asp	gaa Glu	gtc Val	cac His	atg Met 300	ctc Leu	gac Asp	atc Ile	gaa Glu	912
tgc Cys 305	ttc Phe	tca Ser	ttc Phe	ctt Leu	aac Asn 310	cga Arg	gct Ala	cta Leu	gaa Glu	aac Asn 315	gaa Glu	atg Met	tca Ser	cca Pro	atc Ile 320	960
ctt Leu	gtg Val	gtg Val	gca Ala	aca Thr 325	aac Asn	cga Arg	gga Gly	gtg Val	acg Thr 330	aca Thr	atc Ile	cgt Arg	ggc Gly	aca Thr 335	aac Asn	1008
cag Gln	aaa Lys	tca Ser	cca Pro 340	cac His	ggg Gly	atc Ile	ccg Pro	att Ile 345	gat Asp	ctc Leu	ctt Leu	gac Asp	cgt Arg 350	ctt Leu	ctc Leu	1056
atc Ile	atc Ile	act Thr 355	acc Thr	caa Gln	cct Pro	tac Tyr	aca Thr 360	gac Asp	gat Asp	gac Asp	ata Ile	agg Arg 365	aag Lys	ata Ile	tta Leu	1104
gaa Glu 370	atc Ile	cgt Arg	tgc Cys	caa Gln	gag Glu	gaa Glu 375	gac Asp	gtt Val	gag Glu	atg Met	aac Asn 380	gaa Glu	gag Glu	gcc Ala	aaa Lys	1152
cag Gln 385	ctt Leu	ttg Leu	aca Thr	ttg Leu	atc Ile 390	gga Gly	cgt Arg	gat Asp	aca Thr	tct Ser 395	cta Leu	agg Arg	tat Tyr	gcg Ala	att Ile 400	1200
cat His	ctt Leu	ata Ile	acc Thr	gca Ala	gct Ala	gca Ala	ttg Leu	tca Ser	tgc Cys	cag Gln	aaa Lys	cgg Arg	aaa Lys	ggg Gly	aaa Lys	1248

	405	410	415	
gtc gtc gag gtt gag gat att cag aga gtt tac aga ctg ttc ttg gat				1296
Val Val Glu Val Glu Asp Ile Gln Arg Val Tyr Arg Leu Phe Leu Asp				
	420	425	430	
gtg agg aga tcg atg cag tat ctt gtt gag tat cag agt cag tat atg				1344
Val Arg Arg Ser Met Gln Tyr Leu Val Glu Tyr Gln Ser Gln Tyr Met				
	435	440	445	
ttc agt gaa cca atc aaa aac gat gaa gct gct gca gaa gac gaa caa				1392
Phe Ser Glu Pro Ile Lys Asn Asp Glu Ala Ala Ala Glu Asp Glu Gln				
	450	455	460	
gat gct atg cag atc tga ggatccacct ctgtttgcct ttttatcat				1440
Asp Ala Met Gln Ile				
	465			
gtttcgtggt gatatgtatg attaggatgt tgaactcgga tttatgtttt ttttttttta				1500
agttgtgacg agattcgggt ctagaaaatg atttaaccaa gttcaataca gatcggtttg				1560
gtacaaaaca aaaaaaaaaa aaaa				1584

<210> 7

<211> 469

<212> PRT

<213> Arabidopsis thaliana

<400> 7

Met Ala Glu Leu Lys Leu Ser Glu Ser Arg Asp Leu Thr Arg Val Glu
1 5 10 15

Arg Ile Gly Ala His Ser His Ile Arg Gly Leu Gly Leu Asp Ser Ala
20 25 30

Leu Glu Pro Arg Ala Val Ser Glu Gly Met Val Gly Gln Val Lys Ala
35 40 45

Arg Lys Ala Ala Gly Val Ile Leu Gln Met Ile Arg Glu Gly Lys Ile
50 55 60

Ala Gly Arg Ala Ile Leu Ile Ala Gly Gln Pro Gly Thr Gly Lys Thr
65 70 75 80

Ala Ile Ala Met Gly Met Ala Lys Ser Leu Gly Leu Glu Thr Pro Phe
85 90 95

Ala Met Ile Ala Gly Ser Glu Ile Phe Ser Leu Glu Met Ser Lys Thr
100 105 110

Glu Ala Leu Thr Gln Ser Phe Arg Lys Ala Ile Gly Val Arg Ile Lys

115	120	125
Glu Glu Thr Glu Val Ile	Glu Gly Glu Val Val	Glu Val Gln Ile Asp
130	135	140
Arg Pro Ala Ser Ser	Gly Val Ala Ser Lys	Ser Gly Lys Met Thr Met
145	150	155
Lys Thr Thr Asp Met	Glu Thr Val Tyr Asp Met	Gly Ala Lys Met Ile
165	170	175
Glu Ala Leu Asn Lys Glu Lys Val	Gln Ser Gly Asp Val	Ile Ala Ile
180	185	190
Asp Lys Ala Thr Gly Lys Ile	Thr Lys Leu Gly Arg	Ser Phe Ser Arg
195	200	205
Ser Arg Asp Tyr Asp Ala Met	Gly Ala Gln Thr	Lys Phe Val Gln Cys
210	215	220
Pro Glu Gly Glu Leu Gln Lys Arg Lys Glu Val	Val His Cys Val Thr	
225	230	235
Leu His Glu Ile Asp Val Ile Asn Ser	Arg Thr Gln Gly Phe	Leu Ala
245	250	255
Leu Phe Thr Gly Asp Thr Gly Glu Ile	Arg Ser Glu Val	Arg Glu Gln
260	265	270
Ile Asp Thr Lys Val Ala Glu Trp Arg Glu Glu Gly	Lys Ala Glu Ile	
275	280	285
Val Pro Gly Val Leu Phe Ile Asp Glu Val His	Met Leu Asp Ile Glu	
290	295	300
Cys Phe Ser Phe Leu Asn Arg Ala Leu Glu Asn Glu Met Ser Pro	Ile	
305	310	315
Leu Val Val Ala Thr Asn Arg Gly Val Thr Thr Ile Arg Gly Thr	Asn	
325	330	335
Gln Lys Ser Pro His Gly Ile Pro Ile Asp Leu Leu Asp Arg	Leu Leu	
340	345	350
Ile Ile Thr Thr Gln Pro Tyr Thr Asp Asp Asp Ile	Arg Lys Ile Leu	
355	360	365
Glu Ile Arg Cys Gln Glu Glu Asp Val Glu Met	Asn Glu Glu Ala Lys	
370	375	380

Gln Leu Leu Thr Leu Ile Gly Arg Asp Thr Ser Leu Arg Tyr Ala Ile
385 390 395 400

His Leu Ile Thr Ala Ala Ala Leu Ser Cys Gln Lys Arg Lys Gly Lys
405 410 415

Val Val Glu Val Glu Asp Ile Gln Arg Val Tyr Arg Leu Phe Leu Asp
420 425 430

Val Arg Arg Ser Met Gln Tyr Leu Val Glu Tyr Gln Ser Gln Tyr Met
435 440 445

Phe Ser Glu Pro Ile Lys Asn Asp Glu Ala Ala Ala Glu Asp Glu Gln
450 455 460

Asp Ala Met Gln Ile
465

<210> 8

<211> 1422

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (64)..(1389)

<223>

<400> 8
atggcagaac taaggttatc agaaactcga gacttaacta ggatcgaaag aatcggagca 60
cac tca cac ata cga ggt tta ggt ctc gac tca gta ctc gag cca cga 108
Ser His Ile Arg Gly Leu Gly Leu Asp Ser Val Leu Glu Pro Arg
1 5 10 15
gcc gta tcc gaa gga atg gtt ggt caa atc aaa gca cgt aaa gcc gcc 156
Ala Val Ser Glu Gly Met Val Gly Gln Ile Lys Ala Arg Lys Ala Ala
20 25 30
gga gta acc ctc gag ttg atc aga gac ggc aaa atc tcg ggt cgg gct 204
Gly Val Thr Leu Glu Leu Ile Arg Asp Gly Lys Ile Ser Gly Arg Ala
35 40 45
ata ctt ata gcg ggt caa ccc gga acg ggt aaa atc gca ata gca atg 252
Ile Leu Ile Ala Gly Gln Pro Gly Thr Gly Lys Ile Ala Ile Ala Met
50 55 60
ggt ata gca aaa tca ctt gga caa gaa aca cca ttc act atg att gca 300
Gly Ile Ala Lys Ser Leu Gly Gln Glu Thr Pro Phe Thr Met Ile Ala

65	70	75	
gga agt gag atc ttt tct tta gag atg tca aag act gaa gct tta act Gly Ser Glu Ile Phe Ser Leu Glu Met Ser Lys Thr Glu Ala Leu Thr 80 85 90 95			348
caa gct ttt cgt aaa gct att ggt gtt agg atc aaa gaa gag act gac Gln Ala Phe Arg Lys Ala Ile Gly Val Arg Ile Lys Glu Glu Thr Asp 100 105 110			396
gtg ata gaa gga gaa gtt gtg acg att tcg att gat aga cct gct tct Val Ile Glu Gly Glu Val Val Thr Ile Ser Ile Asp Arg Pro Ala Ser 115 120 125			444
tct ggt ggt tct gtg aag aag act ggg aag ata aca atg aag acg act Ser Gly Gly Ser Val Lys Lys Thr Gly Lys Ile Thr Met Lys Thr Thr 130 135 140			492
gat atg gaa tct aat ttt gat ttg gga tgg aaa ttg att gag cca ttg Asp Met Glu Ser Asn Phe Asp Leu Gly Trp Lys Leu Ile Glu Pro Leu 145 150 155			540
gat aag gag aaa gta cag agt ggt gat gtt att gtt ttg gat agg ttt Asp Lys Glu Lys Val Gln Ser Gly Asp Val Ile Val Leu Asp Arg Phe 160 165 170 175			588
tgt ggg aag att act aag ctt gga aga tct ttt acg agg tct aga gat Cys Gly Lys Ile Thr Lys Leu Gly Arg Ser Phe Thr Arg Ser Arg Asp 180 185 190			636
ttt gat gtt atg ggt tca aag act aag ttt gtg cag tgc cct gaa ggt Phe Asp Val Met Gly Ser Lys Thr Lys Phe Val Gln Cys Pro Glu Gly 195 200 205			684
gag ctt gag aag agg aag gag gtt ttg cat tct gtc aca ctt cat gag Glu Leu Glu Lys Arg Lys Glu Val Leu His Ser Val Thr Leu His Glu 210 215 220			732
att gat gtt att aat agc agg act caa ggg tat cta gcc ctc ttc aca Ile Asp Val Ile Asn Ser Arg Thr Gln Gly Tyr Leu Ala Leu Phe Thr 225 230 235			780
ggt gat aca ggc gag att cgt tca gaa acc cga gag caa agc gat act Gly Asp Thr Gly Glu Ile Arg Ser Glu Thr Arg Glu Gln Ser Asp Thr 240 245 250 255			828
aaa gtg gca gag tgg aga gaa gaa ggg aaa gct gaa ata gta cct ggt Lys Val Ala Glu Trp Arg Glu Glu Gly Lys Ala Glu Ile Val Pro Gly 260 265 270			876
gtt ctc ttc att gat gaa gtc cat atg ctt gat atc gaa tgc ttc tct Val Leu Phe Ile Asp Glu Val His Met Leu Asp Ile Glu Cys Phe Ser 275 280 285			924
ttc ctg aat aga gct ctc gaa aac gat atg tca cca atc ctg gtc gtg Phe Leu Asn Arg Ala Leu Glu Asn Asp Met Ser Pro Ile Leu Val Val 290 295 300			972
gct aca aac aga gga atg aca aca atc cga gga aca aac cag ata tca Ala Thr Asn Arg Gly Met Thr Thr Ile Arg Gly Thr Asn Gln Ile Ser 305 310 315			1020
gca cat ggg atc cca atc gat ttt ctt gac cgt ctt ctt att atc aca Ala His Gly Ile Pro Ile Asp Phe Leu Asp Arg Leu Leu Ile Ile Thr 320 325 330 335			1068

aca cag cct tac aca caa gac gag atc aga aat att tta gag atc cgt 1116
 Thr Gln Pro Tyr Thr 340 Gln Asp Glu Ile Arg Asn Ile Leu Glu Ile Arg 350
 tgc caa gaa gag gat gtg gag atg aac gag gaa gcg aaa cag ctt ctg 1164
 Cys Gln Glu 355 Asp Val Glu Met Asn Glu Glu Ala Lys 365 Gln Leu Leu
 act ttg atc gga tgt aat acc tcg ctt agg tac gcg att cat cta atc 1212
 Thr Leu 370 Ile Gly Cys Asn Thr Ser 375 Leu Arg Tyr Ala Ile His Leu Ile 380
 aat gca gct gcc cta gct tgc ctg aaa cgt aaa ggg aaa gtc gta gag 1260
 Asn Ala Ala Ala Leu Ala Cys Leu Lys Arg Lys Gly Lys Val Val Glu 385 395
 att cag gac att gag aga gtt tat aga ttg ttt tta gac acc aag aga 1308
 Ile Gln Asp Ile Glu Arg Val Tyr Arg Leu Phe Leu Asp Thr Lys Arg 400 405 410 415
 tcg atg cag tac ttg gtt gag cat gag agc gag tac ttg ttt agc gtg 1356
 Ser Met Gln Tyr Leu Val Glu His Glu Ser Glu Tyr Leu Phe Ser Val 420 425 430
 cct ata aaa aac aca cag gag gct act gca gga gaagaaacag aacacgaggc 1409
 Pro Ile Lys Asn Thr Gln Glu Ala Thr Ala Gly 435 440
 catggaagtt tga 1422

<210> 9

<211> 442

<212> PRT

<213> Arabidopsis thaliana

<400> 9

Ser His Ile Arg Gly Leu Gly Leu Asp Ser Val Leu Glu Pro Arg Ala
 1 5 10 15

Val Ser Glu Gly Met Val Gly Gln Ile Lys Ala Arg Lys Ala Ala Gly
 20 25 30

Val Thr Leu Glu Leu Ile Arg Asp Gly Lys Ile Ser Gly Arg Ala Ile
 35 40 45

Leu Ile Ala Gly Gln Pro Gly Thr Gly Lys Ile Ala Ile Ala Met Gly
 50 55 60

Ile Ala Lys Ser Leu Gly Gln Glu Thr Pro Phe Thr Met Ile Ala Gly
 65 70 75 80

Ser Glu Ile Phe Ser Leu Glu Met Ser Lys Thr Glu Ala Leu Thr Gln
 85 90 95

Ala Phe Arg Lys Ala Ile Gly Val Arg Ile Lys Glu Glu Thr Asp Val
 100 105 110
 Ile Glu Gly Glu Val Val Thr Ile Ser Ile Asp Arg Pro Ala Ser Ser
 115 120 125
 Gly Gly Ser Val Lys Lys Thr Gly Lys Ile Thr Met Lys Thr Thr Asp
 130 135 140
 Met Glu Ser Asn Phe Asp Leu Gly Trp Lys Leu Ile Glu Pro Leu Asp
 145 150 155 160
 Lys Glu Lys Val Gln Ser Gly Asp Val Ile Val Leu Asp Arg Phe Cys
 165 170 175
 Gly Lys Ile Thr Lys Leu Gly Arg Ser Phe Thr Arg Ser Arg Asp Phe
 180 185 190
 Asp Val Met Gly Ser Lys Thr Lys Phe Val Gln Cys Pro Glu Gly Glu
 195 200 205
 Leu Glu Lys Arg Lys Glu Val Leu His Ser Val Thr Leu His Glu Ile
 210 215 220
 Asp Val Ile Asn Ser Arg Thr Gln Gly Tyr Leu Ala Leu Phe Thr Gly
 225 230 235 240
 Asp Thr Gly Glu Ile Arg Ser Glu Thr Arg Glu Gln Ser Asp Thr Lys
 245 250 255
 Val Ala Glu Trp Arg Glu Glu Gly Lys Ala Glu Ile Val Pro Gly Val
 260 265 270
 Leu Phe Ile Asp Glu Val His Met Leu Asp Ile Glu Cys Phe Ser Phe
 275 280 285
 Leu Asn Arg Ala Leu Glu Asn Asp Met Ser Pro Ile Leu Val Val Ala
 290 295 300
 Thr Asn Arg Gly Met Thr Thr Ile Arg Gly Thr Asn Gln Ile Ser Ala
 305 310 315 320
 His Gly Ile Pro Ile Asp Phe Leu Asp Arg Leu Leu Ile Ile Thr Thr
 325 330 335
 Gln Pro Tyr Thr Gln Asp Glu Ile Arg Asn Ile Leu Glu Ile Arg Cys
 340 345 350
 Gln Glu Glu Asp Val Glu Met Asn Glu Glu Ala Lys Gln Leu Leu Thr

355 360 365
 Leu Ile Gly Cys Asn Thr Ser Leu Arg Tyr Ala Ile His Leu Ile Asn
 370 375 380
 Ala Ala Ala Leu Ala Cys Leu Lys Arg Lys Gly Lys Val Val Glu Ile
 385 390 395 400
 Gln Asp Ile Glu Arg Val Tyr Arg Leu Phe Leu Asp Thr Lys Arg Ser
 405 410 415
 Met Gln Tyr Leu Val Glu His Glu Ser Glu Tyr Leu Phe Ser Val Pro
 420 425 430
 Ile Lys Asn Thr Gln Glu Ala Thr Ala Gly
 435 440

<210> 10

<211> 1591

<212> DNA

<213> Arabidopsis thaliana

<400> 10

```

ccacgcgtcc gtaagaagat ttgcccagtg cgggaagcgg cggagattga gagattagcg      60
acgatggagg aaagcaaaca gaactatgac ctgacgccac taatagcgcc taacctggac      120
agacacttgg tgtttcctat attcgagttc cttcaagagc gtcagcttta ccctgatgag      180
cagatcctga agtctaaaat ccagcttttg aaccagacga acatggttga ttacgccatg      240
gatattcaca agagtctcta ccacactgaa gacgctcctc aagaaatggt ggagagaaga      300
acagagggtt tgcctaggct caaatctttg gaggaggctg ctgcaccact cgtgtctttt      360
cttttgaacc ctaacgctgt gcaggagcta agagctgaca agcagtacaa tctccaaatg      420
ctcaaggaac gctaccagat tgggccagac cagattgagg ctttgtacca gtacccaag      480
tttcagtttg aatgtggcaa ctattctggt gctgctgatt atctttacca gtacaggacc      540
ctgtgctcta accttgagag gagtttgagt gccttggtgg gaaagctcgc atctgaaata      600
ttgatgcaaa actgggatat tgctcttgaa gagcttaacc gtctcaaaga gattattgac      660
tcaaagagtt tttcatcgcc gttaaaccag gtgcagaaca ggatttggtt gatgcattgg      720
ggtctgtata tcttttttaa ccatgataat ggaaggacac agatcattga tctttttaac      780
caagacaagt atctgaatgc catccaaact agtgctccac acttgctgcg ctacttggca      840
actgctttca ttgtcaacaa aaggagaaga ccacaattga aagaattcat taaggtcatt      900
cagcaagagc actactccta caaagatcca attatcgagt tcctggcatg tgtgtttgtc      960

```

```

aattatgact ttgatggggc tcaaaagaag atgaaagagt gtgaagaggt cattgtgaat 1020
gatccattcc ttggcaagcg agttgaggat ggaaactttt caactgtacc actgagagat 1080
gaatttcttg aaaatgcccg cctattcgtc ttgaaacct attgcaaat tcatcaaagg 1140
attgacatgg ggggtacttg tgaaaaattg aatctgaact atgaggaggc cgagagatgg 1200
attgtgaacc taatccgcac ctcaaagctt gatgccaaga ttgattctga gtcaggaact 1260
gtaatcatgg agcctactca gcccaacgtg catgagcagt tgataaacca caccaaaggc 1320
ttatcaggac gaacatacaa gttagtgaat cagctcttgg aacacacaca ggcgcaagca 1380
actcgctagt caaaattttg ctgtggaagc ctttccttga taaaactcac cttcggttga 1440
ctggaattat tttctttttc ttgctctgag ttcacctttt actttgaaaa agattattat 1500
ggagttgttc tatttgaaat gttggatcca cagattggaa cattttccaa ccaaatcagc 1560
atttgtaaa aaaaaaaaaa aaaaaaaaaa a 1591

```

<210> 11

<211> 1773

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1773)

<223>

<400> 11

```

atg gca gaa ctg cta ttt gag act tat gga gtg cct gca gtt gca ttt 48
Met Ala Glu Leu Leu Phe Glu Thr Tyr Gly Val Pro Ala Val Ala Phe
1 5 10 15

gga gtc gat gct gct ttc agc tac aaa tac aat caa cta cat gga att 96
Gly Val Asp Ala Ala Phe Ser Tyr Lys Tyr Asn Gln Leu His Gly Ile
20 25 30

tgt aaa aaa gat gga att gtt ctc tgt cct gga ttc acg aca aca cac 144
Cys Lys Lys Asp Gly Ile Val Leu Cys Pro Gly Phe Thr Thr Thr His
35 40 45

tcc att ccg ttt gtc gac gga gaa cct ata tat aaa gga tcc agc cga 192
Ser Ile Pro Phe Val Asp Gly Glu Pro Ile Tyr Lys Gly Ser Ser Arg
50 55 60

act aac att ggt gga tat cat gtc act gat tat tta aag cag ctt ctg 240
Thr Asn Ile Gly Gly Tyr His Val Thr Asp Tyr Leu Lys Gln Leu Leu
65 70 75 80

tca ctt aag tac cct ttt cat tcg tct agg ttt aca tgg gag aag gcc 288
Ser Leu Lys Tyr Pro Phe His Ser Ser Arg Phe Thr Trp Glu Lys Ala

```

85	90	95	
gaa gat ttg aaa ttg gaa cac tgt tat atc gca cct gac tat gct tcg Glu Asp Leu Lys Leu Glu His Cys Tyr Ile Ala Pro Asp Tyr Ala Ser 100 105 110			336
gaa att cgg tta ttc cag gaa gga aga aaa gaa gct gaa gag aaa aca Glu Ile Arg Leu Phe Gln Glu Gly Arg Lys Glu Ala Glu Glu Lys Thr 115 120 125			384
agt tat tgg cag ctt cca tgg ata cct cct ccc acc gaa gtt cct cca Ser Tyr Trp Gln Leu Pro Trp Ile Pro Pro Pro Thr Glu Val Pro Pro 130 135 140			432
tca gaa gaa gag att gca agg aag gca gct ata aga gaa aaa caa ggt Ser Glu Glu Glu Ile Ala Arg Lys Ala Ala Ile Arg Glu Lys Gln Gly 145 150 155 160			480
caa agg ctg cga gaa atg gct gaa gca aag aga gtg tcc aag att aat Gln Arg Leu Arg Glu Met Ala Glu Ala Lys Arg Val Ser Lys Ile Asn 165 170 175			528
gac atg gag aat caa ctg att agc ttg cgt ttc ctt ttg aag caa gtt Asp Met Glu Asn Gln Leu Ile Ser Leu Arg Phe Leu Leu Lys Gln Val 180 185 190			576
gac cag gtt gaa gag gat gat att cca acc ttt ttg tca gac acc ggt Asp Gln Val Glu Glu Asp Asp Ile Pro Thr Phe Leu Ser Asp Thr Gly 195 200 205			624
tac gcg tcc agg caa gag cta gag tct act att acg aaa gtg aca cag Tyr Ala Ser Arg Gln Glu Leu Glu Ser Thr Ile Thr Lys Val Thr Gln 210 215 220			672
tcg ctt aga aaa gca agg ggt gag ccg aag aat gaa cca gct gag tat Ser Leu Arg Lys Ala Arg Gly Glu Pro Lys Asn Glu Pro Ala Glu Tyr 225 230 235 240			720
gaa gaa aac cct gat tct ctt aat aat gaa aag tat cca ctt atg aat Glu Glu Asn Pro Asp Ser Leu Asn Asn Glu Lys Tyr Pro Leu Met Asn 245 250 255			768
gtc ccc gat gat att ctt act cct gag cag ctt aag gac aag aag agg Val Pro Asp Asp Ile Leu Thr Pro Glu Gln Leu Lys Asp Lys Lys Arg 260 265 270			816
caa atg ttt ctt aaa aca aca gca gag ggc cgg cta cga gct aga caa Gln Met Phe Leu Lys Thr Thr Ala Glu Gly Arg Leu Arg Ala Arg Gln 275 280 285			864
aag cgt aat gag gag gaa ctc gaa aaa gag aaa aga aat caa tta gag Lys Arg Asn Glu Glu Glu Leu Glu Lys Glu Lys Arg Asn Gln Leu Glu 290 295 300			912
gag gaa aga cgt cgt gag aac cca gag tct tac tta gag gag ttg caa Glu Glu Arg Arg Arg Glu Asn Pro Glu Ser Tyr Leu Glu Glu Leu Gln 305 310 315 320			960
gct cag tac aag gaa gtg ttg gag aga gtt gag cag aag aag cgt ctg Ala Gln Tyr Lys Glu Val Leu Glu Arg Val Glu Gln Lys Lys Arg Leu 325 330 335			1008
aaa aca aac ggg tcc agt aac ggg aat aac aag tct gga ggt att ggg Lys Thr Asn Gly Ser Ser Asn Gly Asn Asn Lys Ser Gly Gly Ile Gly 340 345 350			1056

cga ggc gag cga ctc agt gct gca cag agg gag aga atg cgt ctg ctg	1104
Arg Gly Glu Arg Leu Ser Ala Ala Gln Arg Glu Arg Met Arg Leu Leu	
355 360 365	
acg aca gca gcc ttt gat aga ggg aaa ggc gag gat acg ttt ggt tct	1152
Thr Thr Ala Ala Phe Asp Arg Gly Lys Gly Glu Asp Thr Phe Gly Ser	
370 375 380	
aga gat gaa gat tgg cag ctc tac aaa ctt atg agc aag gat aat gac	1200
Arg Asp Glu Asp Trp Gln Leu Tyr Lys Leu Met Ser Lys Asp Asn Asp	
385 390 395 400	
gat gat gac gaa caa cct gat tca gac gag gca gag ttg gct cgt tta	1248
Asp Asp Asp Glu Gln Pro Asp Ser Asp Glu Ala Glu Leu Ala Arg Leu	
405 410 415	
tca tct aga ctt cag gaa att gat cca aca ttt gtg cag aaa gta gaa	1296
Ser Ser Arg Leu Gln Glu Ile Asp Pro Thr Phe Val Gln Lys Val Glu	
420 425 430	
gga gaa ttg agt cag aca tca ggg gag gtg cca cgc gta cgc cca tta	1344
Gly Glu Leu Ser Gln Thr Ser Glu Val Pro Arg Val Arg Pro Leu	
435 440 445	
aca gag gaa gac tac aag ata gtg att ggt ata gaa aga ttc cgt tgc	1392
Thr Glu Glu Asp Tyr Lys Ile Val Ile Gly Ile Glu Arg Phe Arg Cys	
450 455 460	
cca gag atc ctg ttc cat cca aac ctt att ggt att gac caa gta ggc	1440
Pro Glu Ile Leu Phe His Pro Asn Leu Ile Gly Ile Asp Gln Val Gly	
465 470 475 480	
tta gac gag atg gct ggc aca tca atc aga agg cta ccg cac gac gag	1488
Leu Asp Glu Met Ala Gly Thr Ser Ile Arg Arg Leu Pro His Asp Glu	
485 490 495	
aaa gag tta gag gag agg cta acg agc tcg ata cta atg acg ggc ggg	1536
Lys Glu Leu Glu Glu Arg Leu Thr Ser Ile Leu Met Thr Gly Gly	
500 505 510	
tgt agc ctt ctt cca ggg atg aac gag cgg ttg gaa tgt ggg att agg	1584
Cys Ser Leu Leu Pro Gly Met Asn Glu Arg Leu Glu Cys Gly Ile Arg	
515 520 525	
atg ata aga cct tgc gga tca ccc att aac gtg gtt aga gct atg gat	1632
Met Ile Arg Pro Cys Gly Ser Pro Ile Asn Val Val Arg Ala Met Asp	
530 535 540	
cca gtg ctg gat gca tgg cga gga gca tct gca ttt gct gct aat ttg	1680
Pro Val Leu Asp Ala Trp Arg Gly Ala Ser Ala Phe Ala Ala Asn Leu	
545 550 555 560	
aac ttc ttg ggg aat gcc ttt act aag atg gat tac gac gag aaa ggt	1728
Asn Phe Leu Gly Asn Ala Phe Thr Lys Met Asp Tyr Asp Glu Lys Gly	
565 570 575	
gaa gat tgg ctt aga aat tat caa att cga tac aac tat ttg tga	1773
Glu Asp Trp Leu Arg Asn Tyr Gln Ile Arg Tyr Asn Tyr Leu	
580 585 590	

<210> 12

<211> 590

<212> PRT

<213> *Arabidopsis thaliana*

<400> 12

Met Ala Glu Leu Leu Phe Glu Thr Tyr Gly Val Pro Ala Val Ala Phe
 1 5 10 15

Gly Val Asp Ala Ala Phe Ser Tyr Lys Tyr Asn Gln Leu His Gly Ile
 20 25 30

Cys Lys Lys Asp Gly Ile Val Leu Cys Pro Gly Phe Thr Thr Thr His
 35 40 45

Ser Ile Pro Phe Val Asp Gly Glu Pro Ile Tyr Lys Gly Ser Ser Arg
 50 55 60

Thr Asn Ile Gly Gly Tyr His Val Thr Asp Tyr Leu Lys Gln Leu Leu
 65 70 75 80

Ser Leu Lys Tyr Pro Phe His Ser Ser Arg Phe Thr Trp Glu Lys Ala
 85 90 95

Glu Asp Leu Lys Leu Glu His Cys Tyr Ile Ala Pro Asp Tyr Ala Ser
 100 105 110

Glu Ile Arg Leu Phe Gln Glu Gly Arg Lys Glu Ala Glu Glu Lys Thr
 115 120 125

Ser Tyr Trp Gln Leu Pro Trp Ile Pro Pro Pro Thr Glu Val Pro Pro
 130 135 140

Ser Glu Glu Glu Ile Ala Arg Lys Ala Ala Ile Arg Glu Lys Gln Gly
 145 150 155 160

Gln Arg Leu Arg Glu Met Ala Glu Ala Lys Arg Val Ser Lys Ile Asn
 165 170 175

Asp Met Glu Asn Gln Leu Ile Ser Leu Arg Phe Leu Leu Lys Gln Val
 180 185 190

Asp Gln Val Glu Glu Asp Asp Ile Pro Thr Phe Leu Ser Asp Thr Gly
 195 200 205

Tyr Ala Ser Arg Gln Glu Leu Glu Ser Thr Ile Thr Lys Val Thr Gln
 210 215 220

Ser Leu Arg Lys Ala Arg Gly Glu Pro Lys Asn Glu Pro Ala Glu Tyr
 225 230 235 240

Glu Glu Asn Pro Asp Ser Leu Asn Asn Glu Lys Tyr Pro Leu Met Asn
 245 250 255
 Val Pro Asp Asp Ile Leu Thr Pro Glu Gln Leu Lys Asp Lys Lys Arg
 260 265 270
 Gln Met Phe Leu Lys Thr Thr Ala Glu Gly Arg Leu Arg Ala Arg Gln
 275 280 285
 Lys Arg Asn Glu Glu Glu Leu Glu Lys Glu Lys Arg Asn Gln Leu Glu
 290 295 300
 Glu Glu Arg Arg Arg Glu Asn Pro Glu Ser Tyr Leu Glu Glu Leu Gln
 305 310 315 320
 Ala Gln Tyr Lys Glu Val Leu Glu Arg Val Glu Gln Lys Lys Arg Leu
 325 330 335
 Lys Thr Asn Gly Ser Ser Asn Gly Asn Asn Lys Ser Gly Gly Ile Gly
 340 345 350
 Arg Gly Glu Arg Leu Ser Ala Ala Gln Arg Glu Arg Met Arg Leu Leu
 355 360 365
 Thr Thr Ala Ala Phe Asp Arg Gly Lys Gly Glu Asp Thr Phe Gly Ser
 370 375 380
 Arg Asp Glu Asp Trp Gln Leu Tyr Lys Leu Met Ser Lys Asp Asn Asp
 385 390 395 400
 Asp Asp Asp Glu Gln Pro Asp Ser Asp Glu Ala Glu Leu Ala Arg Leu
 405 410 415
 Ser Ser Arg Leu Gln Glu Ile Asp Pro Thr Phe Val Gln Lys Val Glu
 420 425 430
 Gly Glu Leu Ser Gln Thr Ser Gly Glu Val Pro Arg Val Arg Pro Leu
 435 440 445
 Thr Glu Glu Asp Tyr Lys Ile Val Ile Gly Ile Glu Arg Phe Arg Cys
 450 455 460
 Pro Glu Ile Leu Phe His Pro Asn Leu Ile Gly Ile Asp Gln Val Gly
 465 470 475 480
 Leu Asp Glu Met Ala Gly Thr Ser Ile Arg Arg Leu Pro His Asp Glu
 485 490 495

Lys Glu Leu Glu Glu Arg Leu Thr Ser Ser Ile Leu Met Thr Gly Gly
500 505 510

Cys Ser Leu Leu Pro Gly Met Asn Glu Arg Leu Glu Cys Gly Ile Arg
515 520 525

Met Ile Arg Pro Cys Gly Ser Pro Ile Asn Val Val Arg Ala Met Asp
530 535 540

Pro Val Leu Asp Ala Trp Arg Gly Ala Ser Ala Phe Ala Ala Asn Leu
545 550 555 560

Asn Phe Leu Gly Asn Ala Phe Thr Lys Met Asp Tyr Asp Glu Lys Gly
565 570 575

Glu Asp Trp Leu Arg Asn Tyr Gln Ile Arg Tyr Asn Tyr Leu
580 585 590

<210> 13

<211> 1416

<212> DNA

<213> Arabidopsis thaliana

<220>

<221> CDS

<222> (1)..(1416)

<223>

<400> 13

atg atc ctg aag aaa gta tgg gga tcg gtg tgg aac cga tcg aat agt 48
Met Ile Leu Lys Lys Val Trp Gly Ser Val Trp Asn Arg Ser Asn Ser
1 5 10 15

ggc aag gat ttg gtg aat cat cag aga gcg atc gat gtt cct cct ctg 96
Gly Lys Asp Leu Val Asn His Gln Arg Ala Ile Asp Val Pro Pro Leu
20 25 30

tta ttg tct tct tca tcg tct ctt ggt gcg ttt gat cag cta ccg atg 144
Leu Leu Ser Ser Ser Ser Leu Gly Ala Phe Asp Gln Leu Pro Met
35 40 45

gat att cta gtc cag ata ctg atg atg atg gag cca aaa gat gct gtg 192
Asp Ile Leu Val Gln Ile Leu Met Met Met Glu Pro Lys Asp Ala Val
50 55 60

aaa ttg ggc tta acg tgc aaa gcc tgg aaa tgc gta gct agt ggt aat 240
Lys Leu Gly Leu Thr Cys Lys Ala Trp Lys Cys Val Ala Ser Gly Asn
65 70 75 80

cgt ctc tgg ata ttt tat ctc cag tgt tct caa gag cca tgg gac tcc 288

Arg	Leu	Trp	Ile	Phe 85	Tyr	Leu	Gln	Cys	Ser 90	Gln	Glu	Pro	Trp	Asp 95	Ser		
att	ttc	ttc	gct	gaa	act	agt	ttg	cgt	tct	ggg	tat	cct	ctc	cga	atg		336
Ile	Phe	Phe	Ala 100	Glu	Thr	Ser	Leu	Arg 105	Ser	Gly	Tyr	Pro	Leu 110	Arg	Met		
att	tct	agt	caa	tca	gga	gag	ttg	tgc	ttt	atg	cac	att	tat	agt	cag		384
Ile	Ser	Ser 115	Gln	Ser	Gly	Glu	Leu 120	Ser	Phe	Met	His	Ile 125	Tyr	Ser	Gln		
agg	gca	caa	gtt	cct	ggg	tct	atc	att	att	gat	ggg	ggg	tct	gga	tat		432
Arg	Ala 130	Gln	Val	Pro	Gly	Ser 135	Ile	Ile	Ile	Asp	Gly 140	Gly	Ser	Gly	Tyr		
tgt	aag	ttt	ggg	tgg	agc	aag	tat	gcg	tct	cct	tct	gga	cgt	tct	gct		480
Cys 145	Lys	Phe	Gly	Trp	Ser 150	Lys	Tyr	Ala	Ser	Pro 155	Ser	Gly	Arg	Ser	Ala 160		
act	ttt	ttg	gaa	ttt	ggg	aac	att	gag	tca	ccg	att	tat	gct	aga	ctt		528
Thr	Phe	Leu	Glu	Phe 165	Gly	Asn	Ile	Glu	Ser 170	Pro	Ile	Tyr	Ala	Arg 175	Leu		
caa	cag	ttc	ttt	gca	acc	att	ttc	acc	agg	atg	cag	gta	aag	ccc	tct		576
Gln	Gln	Phe	Phe 180	Ala	Thr	Ile	Phe	Thr 185	Arg	Met	Gln	Val	Lys 190	Pro	Ser		
atg	cag	cca	ata	gtg	gta	tca	cta	cct	ctc	tgc	cat	ttt	gat	gat	act		624
Met	Gln	Pro 195	Ile	Val	Val	Ser	Leu 200	Pro	Leu	Cys	His	Phe 205	Asp	Asp	Thr		
gaa	tca	gcc	aag	gca	tca	agg	cgg	caa	ctt	aag	act	gct	att	ttc	aat		672
Glu	Ser 210	Ala	Lys	Ala	Ser	Arg 215	Arg	Gln	Leu	Lys	Thr 220	Ala	Ile	Phe	Asn		
gtc	ttg	ttt	gac	atg	aac	gtc	cct	gca	gtg	tgt	gca	gtt	aat	cag	gct		720
Val 225	Leu	Phe	Asp	Met	Asn 230	Val	Pro	Ala	Val	Cys 235	Ala	Val	Asn	Gln	Ala 240		
gtg	tta	gct	cta	tat	gca	gca	cgg	cgg	aca	tct	gga	att	gtt	gtc	aac		768
Val	Leu	Ala	Leu	Tyr 245	Ala	Ala	Arg	Arg	Thr 250	Ser	Gly	Ile	Val	Val 255	Asn		
att	ggg	ttc	caa	gtc	atc	acc	att	ctt	ccg	att	tta	cat	ggg	aag	gtg		816
Ile	Gly	Phe	Gln 260	Val	Ile	Thr	Ile	Leu 265	Pro	Ile	Leu	His	Gly 270	Lys	Val		
atg	cgc	cag	gta	ggg	gta	gaa	gtc	att	ggg	ttt	gga	gca	ttg	aaa	ctc		864
Met	Arg	Gln 275	Val	Gly	Val	Glu	Val 280	Ile	Gly	Phe	Gly	Ala 285	Leu	Lys	Leu		
acg	ggc	ttc	ctt	aag	gag	aag	atg	caa	gaa	aac	aac	att	tcc	ttt	caa		912
Thr	Gly 290	Phe	Leu	Lys	Glu	Lys 295	Met	Gln	Glu	Asn	Asn 300	Ile	Ser	Phe	Gln		
tca	ctc	tac	act	gtt	cgt	act	ctt	aaa	gag	aaa	ctg	tgt	tat	gtg	gct		960
Ser 305	Leu	Tyr	Thr	Val	Arg 310	Thr	Leu	Lys	Glu	Lys 315	Leu	Cys	Tyr	Val	Ala 320		
ctt	gat	tat	aaa	gct	gaa	ctt	tca	aaa	gac	aca	caa	gct	tca	gtg	gaa		1008
Leu	Asp	Tyr	Lys	Ala 325	Glu	Leu	Ser	Lys	Asp 330	Thr	Gln	Ala	Ser	Val 335	Glu		
gtt	tca	ggg	gaa	gga	tgg	ttt	act	tta	tca	aaa	gag	cgt	ttc	caa	aca		1056
Val	Ser	Gly	Glu 340	Gly	Trp	Phe	Thr	Leu 345	Ser	Lys	Glu	Arg	Phe 350	Gln	Thr		

ggg gag ata tta ttc caa cca cgt ctc gct gga atg cgt gca atg agt 1104
 Gly Glu Ile Leu Phe Gln Pro Arg Leu Ala Gly Met Arg Ala Met Ser
 355 360 365
 ctg cac cag gcc gtc tcg ctc tgt atg gac cac tgt gat gca gca gga 1152
 Leu His Gln Ala Val Ser Leu Cys Met Asp His Cys Asp Ala Ala Gly
 370 375 380
 ctt aca ggt gac gat agt tgg ttc aag act gta gta cta act ggg gga 1200
 Leu Thr Gly Asp Asp Ser Trp Phe Lys Thr Val Val Leu Thr Gly Gly
 385 390 395 400
 agc gcg tgt ttg cct gga ctc tca gag agg cta gag aga gaa ctg caa 1248
 Ser Ala Cys Leu Pro Gly Leu Ser Glu Arg Leu Glu Arg Glu Leu Gln
 405 410 415
 gat cac ctt cct tca tct ata agt aac gga atc aga gta ata cct cct 1296
 Asp His Leu Pro Ser Ser Ile Ser Asn Gly Ile Arg Val Ile Pro Pro
 420 425 430
 cct tac ggc gtg gac aca tca tgg cat ggg gca aag ctt att agt aat 1344
 Pro Tyr Gly Val Asp Thr Ser Trp His Gly Ala Lys Leu Ile Ser Asn
 435 440 445
 ttg agc atc ttt cct ggt cct tgg tgt atc aca agg aag cag ttc cgt 1392
 Leu Ser Ile Phe Pro Gly Pro Trp Cys Ile Thr Arg Lys Gln Phe Arg
 450 455 460
 cgc aag tca aga ctc atg tgg tga 1416
 Arg Lys Ser Arg Leu Met Trp
 465 470

<210> 14

<211> 471

<212> PRT

<213> Arabidopsis thaliana

<400> 14

Met Ile Leu Lys Lys Val Trp Gly Ser Val Trp Asn Arg Ser Asn Ser
 1 5 10 15
 Gly Lys Asp Leu Val Asn His Gln Arg Ala Ile Asp Val Pro Pro Leu
 20 25 30
 Leu Leu Ser Ser Ser Ser Ser Leu Gly Ala Phe Asp Gln Leu Pro Met
 35 40 45
 Asp Ile Leu Val Gln Ile Leu Met Met Met Glu Pro Lys Asp Ala Val
 50 55 60
 Lys Leu Gly Leu Thr Cys Lys Ala Trp Lys Cys Val Ala Ser Gly Asn
 65 70 75 80


```
<210> 15
<211> 1092
<212> DNA
<213> Arabidopsis thaliana
```

```
<220>  
<221> CDS  
<222> (1)..(1092)  
<223>
```

<400>	15															48
atg gaa gca cta gtt gtt gat gct ggc tct aag ttc ctg aaa gca gga																
Met Glu Ala Leu Val Val Asp Ala Gly Ser Lys Phe Leu Lys Ala Gly																
1	5								10						15	
gca gca att cct gac cag tct cct gca atg ata att ccc tct caa atg																
Ala Ala Ile Pro Asp Gln Ser Pro Ala Met Ile Ile Pro Ser Gln Met																
	20							25					30			
aaa cga atg gtt gat gat ggg tct tct tca gct gat aac ccc acc act																
Lys Arg Met Val Asp Asp Gly Ser Ser Ser Ala Asp Asn Pro Thr Thr																
	35						40					45				
																144

gtc ttt gag gat gtc act ctt gat cct att gaa agg ggt ttg att aga Val Phe Glu Asp Val Thr Leu Asp Pro Ile Glu Arg Gly Leu Ile Arg 50 55 60	192
gat tgg gat gct atg gaa gat ctg ttg cgt tat gtt gtc tac act ggg Asp Trp Asp Ala Met Glu Asp Leu Leu Arg Tyr Val Val Tyr Thr Gly 65 70 75 80	240
ctt gga tgg gaa gag gga aac gaa ggc aat ata ctt ttt aca gat cca Leu Gly Trp Glu Glu Gly Asn Glu Gly Asn Ile Leu Phe Thr Asp Pro 85 90 95	288
ctt tgt act cct aag gct att agg gag caa ttg gtg cag ttg atg ttt Leu Cys Thr Pro Lys Ala Ile Arg Glu Gln Leu Val Gln Leu Met Phe 100 105 110	336
gaa aca ttc aat gtc tct gga ttt tat gca tct gag caa gca gtg ttg Glu Thr Phe Asn Val Ser Gly Phe Tyr Ala Ser Glu Gln Ala Val Leu 115 120 125	384
tcc ctt tat gct gtt gga cgc atc tcc ggt tgc act gtt gat att ggt Ser Leu Tyr Ala Val Gly Arg Ile Ser Gly Cys Thr Val Asp Ile Gly 130 135 140	432
cat ggg aag ata gat att gcc cca gtt ctt gaa ggt gca gta caa cac His Gly Lys Ile Asp Ile Ala Pro Val Leu Glu Gly Ala Val Gln His 145 150 155 160	480
att gcc tcg aaa cgg ttt gag cta ggt gga acc gag cta act aaa tta Ile Ala Ser Lys Arg Phe Glu Leu Gly Gly Thr Glu Leu Thr Lys Leu 165 170 175	528
ttt gcc caa gag ctt gga aaa acc aac ccg tcg atg aat ctc agc atg Phe Ala Gln Glu Leu Gly Lys Thr Asn Pro Ser Met Asn Leu Ser Met 180 185 190	576
tct gat gtt gaa aaa ctc aag gag cag tat gca aac tgt gcc gag gac Ser Asp Val Glu Lys Leu Lys Glu Gln Tyr Ala Asn Cys Ala Glu Asp 195 200 205	624
gaa att gct tac aaa aaa acc caa aac tgt gaa atc gag cag cat act Glu Ile Ala Tyr Lys Lys Thr Gln Asn Cys Glu Ile Glu Gln His Thr 210 215 220	672
ctt cct gat gga cag gtg ata agc atc ggg cga gag aga tac tcg gtt Leu Pro Asp Gly Gln Val Ile Ser Ile Gly Arg Glu Arg Tyr Ser Val 225 230 235 240	720
gga gaa gct ctg ttt cag cca tca ata ctg gga ctg gag gag cat gga Gly Glu Ala Leu Phe Gln Pro Ser Ile Leu Gly Leu Glu Glu His Gly 245 250 255	768
atc gtt gag cag ctt gtc cgg att atc tcc aca gtg tca tct gag aac Ile Val Glu Gln Leu Val Arg Ile Ile Ser Thr Val Ser Ser Glu Asn 260 265 270	816
cat agg cag ctc ttg gag aac act gta ctt tgt ggt ggt aca acc tcc His Arg Gln Leu Leu Glu Asn Thr Val Leu Cys Gly Thr Thr Ser 275 280 285	864
atg aca gga ttc gaa agt aga ttc cag aaa gaa gca aac ttg tgc tca Met Thr Gly Phe Glu Ser Arg Phe Gln Lys Glu Ala Asn Leu Cys Ser 290 295 300	912
tct gcc att agg cca aca ctg gtg aaa ccg cca gaa tat atg ccg gag	960

Ser Ala Ile Arg Pro Thr Leu Val Lys Pro Pro Glu Tyr Met Pro Glu
 305 310 315 320
 aat ttg ggg atg tat tcg gct tgg gtt gga gga gcc ata cta gct aaa 1008
 Asn Leu Gly Met Tyr Ser Ala Trp Val Gly Gly Ala Ile Leu Ala Lys
 325 330 335
 gtg gtg ttt ccg cag aat cag cac gtt act aaa gca gat tat gac gag 1056
 Val Val Phe Pro Gln Asn Gln His Val Thr Lys Ala Asp Tyr Asp Glu
 340 345 350
 act gga cca tca gtg gtt cac agg aaa tgt ttc tga 1092
 Thr Gly Pro Ser Val Val His Arg Lys Cys Phe
 355 360

<210> 16

<211> 363

<212> PRT

<213> Arabidopsis thaliana

<400> 16

Met Glu Ala Leu Val Val Asp Ala Gly Ser Lys Phe Leu Lys Ala Gly
 1 5 10 15
 Ala Ala Ile Pro Asp Gln Ser Pro Ala Met Ile Ile Pro Ser Gln Met
 20 25 30
 Lys Arg Met Val Asp Asp Gly Ser Ser Ser Ala Asp Asn Pro Thr Thr
 35 40 45
 Val Phe Glu Asp Val Thr Leu Asp Pro Ile Glu Arg Gly Leu Ile Arg
 50 55 60
 Asp Trp Asp Ala Met Glu Asp Leu Leu Arg Tyr Val Val Tyr Thr Gly
 65 70 75 80
 Leu Gly Trp Glu Glu Gly Asn Glu Gly Asn Ile Leu Phe Thr Asp Pro
 85 90 95
 Leu Cys Thr Pro Lys Ala Ile Arg Glu Gln Leu Val Gln Leu Met Phe
 100 105 110
 Glu Thr Phe Asn Val Ser Gly Phe Tyr Ala Ser Glu Gln Ala Val Leu
 115 120 125
 Ser Leu Tyr Ala Val Gly Arg Ile Ser Gly Cys Thr Val Asp Ile Gly
 130 135 140
 His Gly Lys Ile Asp Ile Ala Pro Val Leu Glu Gly Ala Val Gln His
 145 150 155 160

Ile Ala Ser Lys Arg Phe Glu Leu Gly Gly Thr Glu Leu Thr Lys Leu
 165 170 175
 Phe Ala Gln Glu Leu Gly Lys Thr Asn Pro Ser Met Asn Leu Ser Met
 180 185 190
 Ser Asp Val Glu Lys Leu Lys Glu Gln Tyr Ala Asn Cys Ala Glu Asp
 195 200 205
 Glu Ile Ala Tyr Lys Lys Thr Gln Asn Cys Glu Ile Glu Gln His Thr
 210 215 220
 Leu Pro Asp Gly Gln Val Ile Ser Ile Gly Arg Glu Arg Tyr Ser Val
 225 230 235 240
 Gly Glu Ala Leu Phe Gln Pro Ser Ile Leu Gly Leu Glu Glu His Gly
 245 250 255
 Ile Val Glu Gln Leu Val Arg Ile Ile Ser Thr Val Ser Ser Glu Asn
 260 265 270
 His Arg Gln Leu Leu Glu Asn Thr Val Leu Cys Gly Gly Thr Thr Ser
 275 280 285
 Met Thr Gly Phe Glu Ser Arg Phe Gln Lys Glu Ala Asn Leu Cys Ser
 290 295 300
 Ser Ala Ile Arg Pro Thr Leu Val Lys Pro Pro Glu Tyr Met Pro Glu
 305 310 315 320
 Asn Leu Gly Met Tyr Ser Ala Trp Val Gly Gly Ala Ile Leu Ala Lys
 325 330 335
 Val Val Phe Pro Gln Asn Gln His Val Thr Lys Ala Asp Tyr Asp Glu
 340 345 350
 Thr Gly Pro Ser Val Val His Arg Lys Cys Phe
 355 360

<210> 17

<211> 1791

<212> DNA

<213> *Arabidopsis thaliana*

<220>

<221> CDS

<222> (1)..(1791)

<223>

<400> 17

atg gca aaa cca aaa tcc aat tct cat ctc tcg tgg cag gat tac ttg	48
Met Ala Lys Pro Lys Ser Asn Ser His Leu Ser Trp Gln Asp Tyr Leu	
1 5 10 15	
aaa act gtt gcc ccc act cag att ttg tct gaa cga gga gct aat ctc	96
Lys Thr Val Ala Pro Thr Gln Ile Leu Ser Glu Arg Gly Ala Asn Leu	
20 25 30	
gtt gtc atc aac tta ggg tct gct aat gta aga gta gga ttg gct atg	144
Val Val Ile Asn Leu Gly Ser Ala Asn Val Arg Val Gly Leu Ala Met	
35 40 45	
gat gag aaa cct ttc aat gtt cct aat tgt att gca aga tac att aca	192
Asp Glu Lys Pro Phe Asn Val Pro Asn Cys Ile Ala Arg Tyr Ile Thr	
50 55 60	
caa tct ggg aaa cca act gtt gtt gat cag atg ctt aac act gag gtc	240
Gln Ser Gly Lys Pro Thr Val Val Asp Gln Met Leu Asn Thr Glu Val	
65 70 75 80	
act act aat caa cat gtt gac cgt gag aga gct tat aat tct gcg gca	288
Thr Thr Asn Gln His Val Asp Arg Glu Arg Ala Tyr Asn Ser Ala Ala	
85 90 95	
tcg ctg ttg aag ata ctg ttc ctg gat gaa agt tct tct tct ggc tct	336
Ser Leu Leu Lys Ile Leu Phe Leu Asp Glu Ser Ser Ser Ser Gly Ser	
100 105 110	
gca tct cgc aag atg ggg agg atc gac gga tac aat caa gcg agt acg	384
Ala Ser Arg Lys Met Gly Arg Ile Asp Gly Tyr Asn Gln Ala Ser Thr	
115 120 125	
ata aag aaa gat tca gtc ttt act tgg act gat gtg tat gag gat gag	432
Ile Lys Lys Asp Ser Val Phe Thr Trp Thr Asp Val Tyr Glu Asp Glu	
130 135 140	
aaa att tct ctt gcc tca cca gca gaa act tct cct gat aaa ggt gat	480
Lys Ile Ser Leu Ala Ser Pro Ala Glu Thr Ser Pro Asp Lys Gly Asp	
145 150 155 160	
gct agt gca tct gaa gct gtt cct gat gtt act gac tct aaa gat act	528
Ala Ser Ala Ser Glu Ala Val Pro Asp Val Thr Asp Ser Lys Asp Thr	
165 170 175	
agt gag agt aaa cgc aag tat agg aaa atg att ttt ggt gaa gaa gct	576
Ser Glu Ser Lys Arg Lys Tyr Arg Lys Met Ile Phe Gly Glu Glu Ala	
180 185 190	
ttg aaa ata tcg cca aaa gag cca tat tgt tta tac cat cct att cgg	624
Leu Lys Ile Ser Pro Lys Glu Pro Tyr Cys Leu Tyr His Pro Ile Arg	
195 200 205	
aga ggt cac ttc aat gtt tcg cca cat tat tca gcg caa cgg gtt tgt	672
Arg Gly His Phe Asn Val Ser Pro His Tyr Ser Ala Gln Arg Val Cys	
210 215 220	
gag gac tta act gct atc ttg gac tgg att tta tta gag aaa ctt cat	720

Glu 225	Asp	Leu	Thr	Ala	Ile 230	Leu	Asp	Trp	Ile	Leu 235	Leu	Glu	Lys	Leu	His 240	
ata Ile	act Thr	cac His	aag Lys	gag Glu 245	aga Arg	ttc Phe	tct Ser	ttt Phe	cat His 250	gct Ala	ggt Val	att Ile	gtt Val	gtc Val 255	cca Pro	768
gaa Glu	aca Thr	ttt Phe	gac Asp 260	acc Thr	cgc Arg	gaa Glu	ata Ile	aag Lys 265	gaa Glu	atg Met	cta Leu	act Thr	att Ile 270	gtg Val	ttg Leu	816
gga Gly	gag Glu	cta Leu 275	tac Tyr	ttt Phe	aac Asn	tca Ser	gca Ala 280	gtt Val	gtc Val	cac His	caa Gln	gaa Glu 285	ggt Gly	cta Leu	tcg Ser	864
gcc Ala 290	gtt Val	ttt Phe	ggg Gly	aat Asn	ggt Gly	ttg Leu 295	aca Thr	aca Thr	gct Ala	tgt Cys	att Ile 300	gtg Val	aat Asn	ata Ile	gga Gly	912
gcc Ala 305	cag Gln	aca Thr	agt Ser	aca Thr	gta Val 310	gtt Val	tgt Cys	gtc Val	gag Glu	gat Asp 315	ggg Gly	gtc Val	tca Ser	ttg Leu	cca Pro 320	960
aat Asn	act Thr	gaa Glu	aag Lys	att Ile 325	tta Leu	cct Pro	ttt Phe	gga Gly	gga Gly 330	gag Glu	gat Asp	ata Ile	tgt Cys	aga Arg 335	tgc Cys	1008
ctt Leu	cta Leu	tgg Trp	att Ile 340	cag Gln	agg Arg	cat His	tac Tyr	caa Gln 345	aag Lys	tgg Trp	cca Pro	caa Gln	atc Ile 350	aac Asn	aca Thr	1056
gat Asp	gtt Val	ttg Leu 355	gca Ala	aag Lys	cca Pro	atc Ile	gat Asp 360	atg Met	ctg Leu	atg Met	ctt Leu	aat Asn 365	caa Gln	ctt Leu	aag Lys	1104
gag Glu	tca Ser 370	ttt Phe	tgt Cys	gaa Glu	att Ile	aga Arg 375	gca Ala	gga Gly	gaa Glu	ctt Leu	gaa Glu 380	act Thr	gtt Val	gca Ala	acg Thr	1152
gtt Val 385	cat His	tct Ser	tat Tyr	gag Glu	gaa Glu 390	ggc Gly	atg Met	cca Pro	gct Ala	gtg Val 395	cct Pro	cac His	aag Lys	aca Thr	aat Asn 400	1200
ctc Leu	acc Thr	tcc Ser	ctt Leu	aac Asn 405	gtt Val	cca Pro	cca Pro	atg Met	ggt Gly 410	ctg Leu	ttt Phe	tat Tyr	cct Pro	aac Asn 415	ctt Leu	1248
ttg Leu	gtc Val	cct Pro	gaa Glu 420	ata Ile	ttt Phe	ccc Pro	cag Gln	cca Pro 425	cca Pro	cgt Arg	caa Gln	tgg Trp	ttt Phe 430	caa Gln	gac Asp	1296
tac Tyr	gag Glu	aat Asn 435	atg Met	ttg Leu	gaa Glu	gac Asp	act Thr 440	tgg Trp	aac Asn	atg Met	gac Asp	ttt Phe 445	gga Gly	ggt Gly	ggt Gly	1344
ggt Gly 450	aac Asn	atg Met	gga Gly	tta Leu	cca Pro	atg Met 455	tgg Trp	gat Asp	agt Ser	ttt Phe	gca Ala 460	ttt Phe	tcg Ser	cct Pro	tca Ser	1392
aaa Lys 465	cca Pro	aag Lys	aaa Lys	gaa Glu	gag Glu 470	aag Lys	att Ile	ggt Gly	ctc Leu	gct Ala 475	gaa Glu	gcc Ala	att Ile	aca Thr	agc Ser 480	1440
agc Ser	att Ile	ctc Leu	tct Ser	gct Ala 485	gga Gly	cgc Arg	ata Ile	gac Asp	ctt Leu 490	aga Arg	cgg Arg	aag Lys	ctt Leu	ttc Phe	tcc Ser 495	1488

agc att caa ttg att ggt ggt gct ggt ttg acg aaa ggt ctt gta gcg 1536
 Ser Ile Gln Leu Ile Gly Gly Ala Gly Leu Thr Lys Gly Leu Val Ala
 500 505 510
 gca gtg gaa gaa aga gtt ctt cac gcg ata cct cca act gaa gcc att 1584
 Ala Val Glu Glu Arg Val Leu His Ala Ile Pro Pro Thr Glu Ala Ile
 515 520 525
 gat aca gtg cag gtt ctg cca tca aga acg gag cca caa ttc gta act 1632
 Asp Thr Val Gln Val Leu Pro Ser Arg Thr Glu Pro Gln Phe Val Thr
 530 535 540
 tgg aaa gga gga gcg ata ttg gga att ctg gac ttt ggg agg gag gct 1680
 Trp Lys Gly Gly Ala Ile Leu Gly Ile Leu Asp Phe Gly Arg Glu Ala
 545 550 555 560
 tgg att gag aga cat caa tgg atg gta aat ggg gtt aat aaa ggt ggt 1728
 Trp Ile Glu Arg His Gln Trp Met Val Asn Gly Val Asn Lys Gly Gly
 565 570 575
 cta aag aag tac aaa gac tct tat cac ctt caa ggt caa gca atg tac 1776
 Leu Lys Lys Tyr Lys Asp Ser Tyr His Leu Gln Gly Gln Ala Met Tyr
 580 585 590
 ttc atc aac ccc tag 1791
 Phe Ile Asn Pro
 595

<210> 18

<211> 596

<212> PRT

<213> *Arabidopsis thaliana*

<400> 18

Met Ala Lys Pro Lys Ser Asn Ser His Leu Ser Trp Gln Asp Tyr Leu
 1 5 10 15

Lys Thr Val Ala Pro Thr Gln Ile Leu Ser Glu Arg Gly Ala Asn Leu
 20 25 30

Val Val Ile Asn Leu Gly Ser Ala Asn Val Arg Val Gly Leu Ala Met
 35 40 45

Asp Glu Lys Pro Phe Asn Val Pro Asn Cys Ile Ala Arg Tyr Ile Thr
 50 55 60

Gln Ser Gly Lys Pro Thr Val Val Asp Gln Met Leu Asn Thr Glu Val
 65 70 75 80

Thr Thr Asn Gln His Val Asp Arg Glu Arg Ala Tyr Asn Ser Ala Ala
 85 90 95

Ser Leu Leu Lys Ile Leu Phe Leu Asp Glu Ser Ser Ser Ser Gly Ser
 100 105 110
 Ala Ser Arg Lys Met Gly Arg Ile Asp Gly Tyr Asn Gln Ala Ser Thr
 115 120 125
 Ile Lys Lys Asp Ser Val Phe Thr Trp Thr Asp Val Tyr Glu Asp Glu
 130 135 140
 Lys Ile Ser Leu Ala Ser Pro Ala Glu Thr Ser Pro Asp Lys Gly Asp
 145 150 155 160
 Ala Ser Ala Ser Glu Ala Val Pro Asp Val Thr Asp Ser Lys Asp Thr
 165 170 175
 Ser Glu Ser Lys Arg Lys Tyr Arg Lys Met Ile Phe Gly Glu Glu Ala
 180 185 190
 Leu Lys Ile Ser Pro Lys Glu Pro Tyr Cys Leu Tyr His Pro Ile Arg
 195 200 205
 Arg Gly His Phe Asn Val Ser Pro His Tyr Ser Ala Gln Arg Val Cys
 210 215 220
 Glu Asp Leu Thr Ala Ile Leu Asp Trp Ile Leu Leu Glu Lys Leu His
 225 230 235 240
 Ile Thr His Lys Glu Arg Phe Ser Phe His Ala Val Ile Val Val Pro
 245 250 255
 Glu Thr Phe Asp Thr Arg Glu Ile Lys Glu Met Leu Thr Ile Val Leu
 260 265 270
 Gly Glu Leu Tyr Phe Asn Ser Ala Val Val His Gln Glu Gly Leu Ser
 275 280 285
 Ala Val Phe Gly Asn Gly Leu Thr Thr Ala Cys Ile Val Asn Ile Gly
 290 295 300
 Ala Gln Thr Ser Thr Val Val Cys Val Glu Asp Gly Val Ser Leu Pro
 305 310 315 320
 Asn Thr Glu Lys Ile Leu Pro Phe Gly Gly Glu Asp Ile Cys Arg Cys
 325 330 335
 Leu Leu Trp Ile Gln Arg His Tyr Gln Lys Trp Pro Gln Ile Asn Thr
 340 345 350
 Asp Val Leu Ala Lys Pro Ile Asp Met Leu Met Leu Asn Gln Leu Lys
 355 360 365

Glu Ser Phe Cys Glu Ile Arg Ala Gly Glu Leu Glu Thr Val Ala Thr
 370 375 380
 Val His Ser Tyr Glu Glu Gly Met Pro Ala Val Pro His Lys Thr Asn
 385 390 395 400
 Leu Thr Ser Leu Asn Val Pro Pro Met Gly Leu Phe Tyr Pro Asn Leu
 405 410 415
 Leu Val Pro Glu Ile Phe Pro Gln Pro Pro Arg Gln Trp Phe Gln Asp
 420 425 430
 Tyr Glu Asn Met Leu Glu Asp Thr Trp Asn Met Asp Phe Gly Gly Gly
 435 440 445
 Gly Asn Met Gly Leu Pro Met Trp Asp Ser Phe Ala Phe Ser Pro Ser
 450 455 460
 Lys Pro Lys Lys Glu Glu Lys Ile Gly Leu Ala Glu Ala Ile Thr Ser
 465 470 475 480
 Ser Ile Leu Ser Ala Gly Arg Ile Asp Leu Arg Arg Lys Leu Phe Ser
 485 490 495
 Ser Ile Gln Leu Ile Gly Gly Ala Gly Leu Thr Lys Gly Leu Val Ala
 500 505 510
 Ala Val Glu Glu Arg Val Leu His Ala Ile Pro Pro Thr Glu Ala Ile
 515 520 525
 Asp Thr Val Gln Val Leu Pro Ser Arg Thr Glu Pro Gln Phe Val Thr
 530 535 540
 Trp Lys Gly Gly Ala Ile Leu Gly Ile Leu Asp Phe Gly Arg Glu Ala
 545 550 555 560
 Trp Ile Glu Arg His Gln Trp Met Val Asn Gly Val Asn Lys Gly Gly
 565 570 575
 Leu Lys Lys Tyr Lys Asp Ser Tyr His Leu Gln Gly Gln Ala Met Tyr
 580 585 590
 Phe Ile Asn Pro
 595

<210> 19

<211> 29

<212> DNA

<213> Arabidopsis sp.

<400> 19

ctagaagctt ttaaggatta agactctcc

29

<210> 20

<211> 22

<212> DNA

<213> Arabidopsis sp.

<400> 20

ctcgtatgta tcccccttct cc

22

<210> 21

<211> 21

<212> DNA

<213> Arabidopsis thaliana

<400> 21

tgatggatct atcaccatca g

21

<210> 22

<211> 21

<212> DNA

<213> Arabidopsis thaliana

<400> 22

ggtgggattc caatcacttt c

21

<210> 23

<211> 21

<212> DNA

<213> Arabidopsis thaliana

<400> 23

tgatggatct atcaccatca g

21

<210> 24

<211> 21

<212> DNA

<213> *Arabidopsis thaliana*

<400> 24

ggtgggattc caatcacttt c

21

<210> 25

<211> 19

<212> DNA

<213> *Arabidopsis thaliana*

<400> 25

tttgatgggc caaatgatg

19

<210> 26

<211> 36

<212> DNA

<213> *Arabidopsis thaliana*

<400> 26

cttccaacct aggtgagatg tttcaacaaa atgtgc

36

<210> 27

<211> 19

<212> DNA

<213> *Arabidopsis thaliana*

<400> 27

tcaacagcag gacacaagg

19

<210> 28

<211> 37

<212> DNA

<213> *Arabidopsis thaliana*

<400> 28
cccaatgcct aggaaatccg agttcaacat cctaadc 37

<210> 29
<211> 23
<212> DNA
<213> Arabidopsis thaliana

<400> 29
acaaaccaga tatcagcaca tgg 23

<210> 30
<211> 23
<212> DNA
<213> Arabidopsis thaliana

<400> 30
aacaagtact cgctctcatg ctc 23

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 03/06757

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C07K14/415

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EMBL, BIOSIS, EPO-Internal, SEQUENCE SEARCH, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE EMBL/GENBANK/DBJ 'Online! "Arabidopsis thaliana putative helicase (At3g57300) mRNA, partial cds." retrieved from EBI Database accession no. AY080695 XP002254488 abstract	1,2
X	DATABASE EMBL/GENBANK/DBJ 'Online! 21 March 2002 (2002-03-21) "Arabidopsis thaliana cDNA clone:RAFL09-38-B21, 5'-end." retrieved from EBI Database accession no. AV829055 XP002254489 abstract	1-3

☒ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *G* document member of the same patent family

Date of the actual completion of the international search

15 September 2003

Date of mailing of the international search report

02/10/2003

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Paresce, D

INTERNATIONAL SEARCH REPORT

International Application No
PCT/EP 03/06757

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DATABASE EMBL/GENBANK/DBJ 'Online! 21 January 2000 (2000-01-21) "Arabidopsis thaliana DNA chromosome 3, BAC clone F2809" retrieved from EBI Database accession no. AL137080 XP002254490 abstract	1,2
X	DATABASE EMBL/GENBANK/DBJ 'Online! 1 October 2000 (2000-10-01) "Helicase-like protein F2809.150." retrieved from EBI Database accession no. Q9M2L7 XP002254491 abstract	5
X	SHEN XUETONG ET AL: "A chromatin remodelling complex involved in transcription and DNA processing." NATURE (LONDON), vol. 406, no. 6795, 2000, pages 541-544, XP002254485 ISSN: 0028-0836	6,15
Y	see p. 541, 543-4	1-15
X	EBBERT RONALD ET AL: "The product of the SNF2/SWI2 paralogue INO80 of Saccharomyces cerevisiae required for efficient expression of various yeast structural genes is part of a high-molecular-weight protein complex." MOLECULAR MICROBIOLOGY, vol. 32, no. 4, May 1999 (1999-05), pages 741-751, XP002254486 ISSN: 0950-382X	6,15
Y	see abstract, p. 741-2	1-15
Y	GHERBI HASSEN ET AL: "Homologous recombination in planta is stimulated in the absence of Rad50." EMBO REPORTS, vol. 2, no. 4, April 2001 (2001-04), pages 287-291, XP002254487 April, 2001 ISSN: 1469-221X cited in the application see abstract, p. 287-8	1-15